

Toggle menu
Blue Gold Program Wiki

Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

Personal tools

- [Log in](#)

personal-extra

Toggle search

Search

Random page

Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

Actions

Help:CS1 errors

From Blue Gold Program Wiki

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

[Template:Pp-semi-indef](#)

This help page is a [how-to guide](#).

[30x30px](#) It details processes or procedures of some aspect(s) of Wikipedia's norms and practices. It is not one of [Wikipedia's policies or guidelines](#), as it has not been [thoroughly vetted by the community](#).

This page describes the error messages reported by the [Citation Style 1](#) and [Citation Style 2](#) citations, what they mean, and how editors might resolve the errors. [Category:CS1 errors](#) is the general errors category and [Category:CS1 maintenance](#) is the general maintenance category.

Errors in the <ref> system can be found at [Help:Cite errors](#).

□

Contents

- [1 Controlling error message display](#)
- [2 Most common errors](#)
- [3 |access-date= requires |url=](#)
- [4 |archive-url= is malformed](#)
- [5 |archive-url= requires |archive-date=](#)
- [6 |archive-url= requires |url=](#)
- [7 |arxiv= required](#)
- [8 |chapter= ignored](#)
- [9 Check |arxiv= value](#)
- [10 Check |asin= value](#)
- [11 Check |bibcode= <message>](#)
- [12 Check |biorxiv= value](#)
- [13 Check |citeseerx= value](#)
- [14 Check date values in: |<param1>=, |<param2>=, ...](#)
- [15 Check |doi= value](#)
- [16 Check |hdl= value](#)
- [17 Check |isbn= value](#)
- [18 Check |ismn= value](#)
- [19 Check |issn= value](#)
- [20 Check |jfm= value](#)
- [21 Check |lccn= value](#)
- [22 Check |message-id= value](#)
- [23 Check |mr= value](#)
- [24 Check |oclc= value](#)
- [25 Check |ol= value](#)
- [26 Check |<param>-link= value](#)
- [27 Check |pmc= value](#)
- [28 Check |pmid= value](#)
- [29 Check |ssrn= value](#)
- [30 Check |url= value](#)
- [31 Check |zbl= value](#)
- [32 |biorxiv= required](#)
- [33 Cite <template> requires |<param>=](#)
- [34 Cite uses deprecated parameter |<param>](#)
- [35 |citeseerx= required](#)
- [36 |class= ignored](#)
- [37 |contributor= ignored](#)

- [38 |contributor= requires |<param>=](#)
- [39 Empty citation](#)
- [40 Explicit use of et al.](#)
- [41 External link in |<param>=](#)
- [42 |<first>n= missing |<last>n=](#)
- [43 |format= requires |url=](#)
- [44 Invalid |script-<param>=: <type>](#)
- [45 Invalid <param>=<value>](#)
- [46 Italic or bold markup not allowed in: |<param>=](#)
- [47 Missing |<name>n=](#)
- [48 Missing pipe](#)
- [49 Missing or empty |title=](#)
 - [49.1 Bare URL without a title](#)
 - [49.2 Citation without a title of any form](#)
- [50 Missing or empty |url=](#)
- [51 More than one of |<param1>=, |<param2>=, and |<param3>= specified](#)
- [52 |ssrn= required](#)
- [53 Text "???" ignored](#)
- [54 |trans-<param>= requires |<param>=](#)
- [55 Unknown parameter |xxxx= ignored](#)
- [56 URL-wikilink conflict](#)
- [57 Vancouver style error](#)
- [58 <char> character in |<param>= at position n](#)
- [59 |<param>= requires |doi=](#)
- [60 |<param>-access= requires |<param>=](#)
- [61 Notes](#)
- [62 References](#)

Controlling error message display[\[edit source\]](#)

`<section begin=control_error_messages_help_text /><section begin=show_error_messages_help_text /><section begin=show_all_messages_help_text />`By default, [Citation Style 1](#) and [Citation Style 2](#) error messages are visible to all readers and maintenance category messages are hidden from all readers.

To display maintenance messages, include the following text in your common [CSS](#) page or your specific skin's CSS page ([common.css](#) and [skin.css](#) respectively):

```
<syntaxhighlight lang=css>.mw-parser-output span.cs1-maint {display: inline;} /* display Citation Style 1 maintenance messages */</syntaxhighlight>
```

Even with this css installed, older pages in Wikipedia's cache may not have been updated to show these error messages even though the page is listed in one of the tracking categories. A [null edit](#) will resolve that issue.

To hide error messages: `<syntaxhighlight lang=css>.mw-parser-output span.cs1-visible-error {display: none;} /* hide Citation Style 1 error messages */</syntaxhighlight>`

You can personalize the display of these messages (such as changing the color), but you will need to ask someone who knows CSS or at [the technical village pump](#) if you do not understand how.<section end=show_error_messages_help_text /><section end=show_all_messages_help_text />

Most common errors[[edit source](#)]

- [#Cite <template> requires |<param>=](#), ~52k pages
- [#Citation without a title of any form](#), ~32k pages
- [#Bare URL without a title](#), ~24k pages
- [#Check date values in: |<param1>=, |<param2>=, ...](#), ~20k pages
- [#External link in |<param>=](#), ~15k pages
- [#Missing or empty |url=](#), ~10k pages

|access-date= requires |url= [[edit source](#)]

`<section begin=accessdate_missing_url_help_text />`[Template:Help desk](#)`|access-date= requires |url=`

The `|access-date=` (or its alias, `|accessdate=`) is the date that the online resource addressed by `|url=` was added to the article. If `|access-date=` has been included in the citation without `|url=` then this message appears. If the citation does not use a web link, then `|access-date=` is redundant and should be removed.

When the online resource has a publication or other fixed date associated with it, `|access-date=` is of limited value though may be useful in identifying an appropriate archived version of the resource. Without `|url=`, `|access-date=` is not considered useful.

To resolve this error, provide a value for `|url=` or remove `|access-date=`. Editors should try to determine why the citation has `|access-date=` without `|url=`. For example, the citation may never have had a `|url=`, or `|url=` may have been removed because it links to a site that violates the creator's copyright (see [WP:COPYLINK](#)), or because `|url=` was deemed to be dead. If the citation never had `|url=` or it was removed for copyright violations, remove `|access-date=`. When a dead `|url=` has been removed, restore the `|url=` and if possible repair it (see [WP:LINKROT](#)).

Pages with this error are automatically placed in [Category:Pages using citations with accessdate and no URL](#) (0 pages).^{[lower-alpha 11](#)}`<section end=accessdate_missing_url_help_text />`

|archive-url= is malformed [[edit source](#)]

`<section begin=archive_url_help_text />`[Template:Help desk](#)`|archive-url= is malformed:`
`<reason>`

Archive.org allows a variety of urls to access snapshots of an archived page. Some of these are:

`https://web.archive.org/web/YYYYMMDDhhmmss/http://www.example.com` - a single snapshot; this is the preferred form for use with `|archive-url=`
`https://web.archive.org/web/*/http://www.example.com` - a wildcard search results page; useful for locating an appropriate snapshot but not appropriate in a citation
`https://web.archive.org/web/201603/http://www.example.com` - incomplete timestamp; archive.org returns the most recent snapshot
`https://web.archive.org/save/http://www.example.com` - saves a new snapshot of the current target; do not use this form

There are two forms of the basic url:

`https://web.archive.org/<timestamp>/... - the old form`

`https://web.archive.org/web/<timestamp><flags>/... - the new form`

The error message identifies the reason for the message. The reasons are:

save command - the archive.org url is the save command

path - **web/** was expected but something else was found

timestamp - the timestamp portion of the url path is not 14 digits

flag - the flag portion of the url path (if present; new form urls only) is not 2 lowercase letters followed by an underscore: 'id_'

liveweb - `liveweb.archive.org` is a deprecated form of the domain name

When the archive.org url has any of these errors, Module:Citation/CS1 does not link to archive.org and emits an appropriate error message.

To resolve this error, choose the url of an appropriate snapshot from those held at archive.org.

[Search for the target url.](#)

Pages with this error are automatically placed in [Category:Pages with archiveurl citation errors](#).^[lower-alpha 1]
<section end=archive_url_help_text />

|archive-url= requires |archive-date= [\[edit source\]](#)

<section begin=archive_missing_date_help_text />[Template:Help desk](#)|archive-url= requires
|archive-date=

|archive-date= (or its alias, |archivedate=), identifies the date that the web resource was archived.

To resolve this error, provide a value for |archive-date=. For web resources archived at archive.org,^[1] the archival date can be found in the |archive-url=; for resources archived at webcitation.org,^[2] the cache date is included in the archive header.

Pages with this error are automatically placed in [Category:Pages with archiveurl citation errors](#).^[lower-alpha 1]
<section end=archive_missing_date_help_text />

|archive-url= requires |url= [\[edit source\]](#)

<section begin=archive_missing_url_help_text />[Template:Help desk](#)|archive-url= requires
|url=

A properly formatted citation that includes |archive-url= and |archive-date= requires |url=. When the citation includes |url-status=live, the ordering of elements in the rendered citation is changed to put the original url first.

To resolve this error, provide a value for |url=. For web resources archived at archive.org,^[1] the original url can be found in the |archive-url= value; for resources archived at webcitation.org,^[2] the original url is included in the archive header.

Pages with this error are automatically placed in [Category:Pages with archiveurl citation errors](#).^[lower-alpha 1]
<section end=archive_missing_url_help_text />

|arxiv= required[\[edit source\]](#)

`<section begin=arxiv_missing_help_text />`[Template:Help desk](#)|arxiv= required

`{{cite arXiv}}` requires one, but not both, of the identifier parameters |arxiv= or |eprint=.

To resolve this error, ensure that the template has |arxiv= or |eprint= with a properly constructed value.

Pages with this error are automatically placed in [Category:CS1 errors: arXiv](#).^[lower-alpha]`<section end=arxiv_missing_help_text />`

|chapter= ignored[\[edit source\]](#)

`<section begin=chapter_ignored_help_text />`[Template:Help desk](#)|chapter= ignored

[Citation Style 1](#) templates `{{cite web}}`, `{{cite news}}`, `{{cite journal}}`, `{{cite press release}}`, `{{cite podcast}}`, `{{cite newsgroup}}`, as well as template `{{citation}}` when it uses |work= or any of its aliases, do not support |chapter= or the aliases |contribution=, |entry=, |article=, or |section=.

To resolve this error:

- use a more appropriate citation template, or
- place the content of the |chapter= parameter in |title=, or
- for `{{cite news}}`, |department= can be used to give the name of the newspaper's section, such as "Obituaries"

Pages with this error are automatically placed in [Category:CS1 errors: chapter ignored](#).^[lower-alpha]`<section end=chapter_ignored_help_text />`

Check |arxiv= value[\[edit source\]](#)

`<section begin=bad_arxiv_help_text />`[Template:Help desk](#)Check |arxiv= value

When [Citation Style 1](#) and [Citation Style 2](#) templates contain |arxiv=, a test is done to see if the arXiv identifier conforms with the arXiv identifier scheme.^[3] The identifier is checked for a valid number of digits in the article id; valid year and month values; and properly-placed hyphens, slashes, and dots.

To resolve this error, ensure that the |arxiv= value is correct.

Pages with this error are automatically placed in [Category:CS1 errors: arXiv](#).^[lower-alpha]`<section end=bad_arxiv_help_text />`

Check |asin= value[\[edit source\]](#)

`<section begin=bad_asin_help_text />`[Template:Help desk](#)Check |asin= value

When [Citation Style 1](#) and [Citation Style 2](#) templates contain |asin=, a test is done to see if the [ASIN](#) identifier is contains ten upper-case alphanumeric characters without punctuation or spaces and that if the first character is numeric, that the ASIN conforms to the rules for a ten-digit [ISBN](#).

To resolve this error, ensure that the `|asin=` value is correct.

If the `|asin=` value is correct and all-numeric, use `|isbn=` instead and delete any `|asin-tld=` parameters. Articles with CS1 citations that use `|asin=` with all numeric values are categorized in [Category:CS1 maint: ASIN uses ISBN](#).

Pages with this error are automatically placed in [Category:CS1 errors: ASIN](#).^[lower-alpha 1]`<section end=bad_asin_help_text />`

Check `|bibcode=` `<message>` [\[edit source\]](#)

`<section begin=bad_bibcode_help_text />`[Template:Help desk](#)Check `|bibcode=` `<message>`

When [Citation Style 1](#) and [Citation Style 2](#) templates contain `|bibcode=`, a test is done to see if the [bibcode](#) identifier has the proper format.^[4] Bibcodes are expected to match these requirements:

length must be 19 characters (`<message> = 'length'`)
characters in position(s): (except as specified otherwise, violations produce 'value' in the `<message>` portion of the error message):

- 1-4 must be digits and must represent a year in the range of 1000 - next year (`<message> = 'year'`)
- 5 must be a letter
- 6-8 must be letter, ampersand, or dot (ampersand cannot directly precede a dot; `&`. (`<message> = 'journal'`))
- 9 must be letter or dot
- 10-18 must be letter, digit, or dot
- 19 must be a letter or dot

To resolve this error, ensure that the `|bibcode=` value is correct.

Pages with this error are automatically placed in [Category:CS1 errors: bibcode](#).^[lower-alpha 1]`<section end=bad_bibcode_help_text />`

Check `|biorxiv= value` [\[edit source\]](#)

`<section begin=bad_biorxiv_help_text />`[Template:Help desk](#)Check `|biorxiv= value`

When [Citation Style 1](#) and [Citation Style 2](#) templates contain `|biorxiv=`, a test is done to see if the [bioRxiv](#) identifier comprises six numeric characters without punctuation or spaces. A common error is to include the *bioRxiv url* (<https://dx.doi.org/10.1101/BIORXIV>), or the *bioRxiv doi* (10.1101/BIORXIV)

To resolve this error, ensure that the `|biorxiv=` value is correct.

Pages with this error are automatically placed in [Category:CS1 errors: bioRxiv](#).^[lower-alpha 1]`<section end=bad_biorxiv_help_text />`

Check `|citeseerx= value`[\[edit source\]](#)

<section begin=bad_citeseerx_help_text />[Template:Help desk](#)Check `|citeseerx= value`

When [Citation Style 1](#) and [Citation Style 2](#) templates contain `|citeseerx=`, a test is done to see if the [CiteSeerX](#) identifier has the proper format. The expected identifier is the value assigned to the `?doi=` query key in the URL of a CiteSeerX document. (This query key should not be confused with a [Digital Object Identifier](#): it should not be input as `|doi=`.)

For instance, if you want to link to

<http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.220.7880>, use `|citeseerx=10.1.1.220.7880`.

Pages with this error are automatically placed in [Category:CS1 errors: citeseerx](#).^[lower-alpha]<section end=bad_citeseerx_help_text />

Check date values in: `|<param1>=, |<param2>=, ...`[\[edit source\]](#)

<section begin=bad_date_help_text />[Template:Help desk](#)Check date values in: `|<param1>=, |<param2>=, ...`

When [Citation Style 1](#) and [Citation Style 2](#) templates contain date-holding parameters, an automated test is done to see if the dates are real dates that comply with a [subset of the date rules](#) in Wikipedia's Manual of Style, specifically checking for violations of [MOS:DATEFORMAT](#).

To resolve this error, ensure that the date is an actual date and that the date format follows the [Wikipedia Manual of Style's guidance on dates](#) in the named parameter. See [examples of unacceptable dates and how to fix them](#), below. Or, some conceptual issues to look for:

- impossible dates, such as 29 February 2011 (2011 was not a leap year)
- `|access-date=` must specify a day, not just a month or year.
- misplaced, incorrect, or extraneous punctuation
- extraneous text
- hyphens or slashes instead of en dashes in date ranges (en dashes are required)
- misspelling or improper capitalization (see [MOS:ALLCAPS](#) for more detail that is not in [Wikipedia Manual of Style's guidance on dates](#))
- other unacceptable date formats listed in [MOS:BADDATEFORMAT](#)
- more than one date in a date-holding parameter
- years before 100 AD, including BCE/BC dates. Try using parameter `|orig-year=` instead.

See [Help: Citation Style 1](#) for information about limitations in the CS1 citation templates' handling of date formats. [The MOS section on date ranges](#) describes how to separate dates in a date range. Do not use ` `, `–`, or `{{spaced ndash}}` as these corrupt the metadata. To add an en dash, use the [CharInsert](#) edit tool or see [Wikipedia:How to make dashes](#). You may also use this one: `-`. A bot is often able to correct the separator, provided the overall format is unambiguous.

Future dates in `|date=` in CS1|2 citations are limited to current year + 1; that is, for 2026, citation dates in 2027 are acceptable but citation dates in 2028 and beyond are not.

Dates prior to 1582 are treated as [Julian calendar](#) dates. Dates from 1582 onward are treated as

[Gregorian calendar](#) dates. The Julian calendar was used in some places until approximately 1923. Three Julian calendar dates in the overlap period, 29 February in the years 1700, 1800, and 1900, will cause this error message because those years are not leap years in the Gregorian calendar.

The access date (in `|access-date=`) is checked to ensure that it contains a full date (day, month, and year) and is between 15 January 2001 (the founding date of Wikipedia) and today's date plus one day, because it represents the date that an editor viewed a web-based source to verify a statement on Wikipedia. Because editors may be in time zones that are one day ahead of the UTC date, one extra day is accepted.

Pages with this error are automatically placed in [Category:CS1 errors: dates](#) (0 pages).^{[[lower-alpha](#)]}
¹`<section end=bad_date_help_text />`

Examples of unacceptable dates and how to fix them

Issue	Unacceptable	Acceptable
Hyphen in date range (use en dash)	<code> date=2002-2003</code>	<code> date=2002Template:Green2003</code>
Slash in date range (use en dash)	<code> date=2002/2003</code> or <code> date=July/August 2003</code>	<code> date=2002Template:Green2003</code> or <code> date=JulyTemplate:GreenAugust 2003</code>
Hyphen in date range (use en dash)	<code> date=April-May 2004</code>	<code> date=AprilTemplate:GreenMay 2004</code>
Missing space around en dash for range of full dates	<code> date=April 2003–May 2004</code>	<code> date=April 2003 Template:Green May 2004</code>
Month capitalization	<code> date=28 february 1900</code>	<code> date=28 Template:Greenebruary 1900</code>
Month capitalization	<code> date=28 FEBRUARY 1900</code>	<code> date=28 FTemplate:Green 1900</code>
Season capitalization	<code> date=spring 2011</code>	<code> date=Template:Greenpring 2011</code>
Future date (typo)	<code> date=2102</code>	<code> date=2Template:Green2</code>
Access date in future (see note above)	<code> accessdate=Template:Day+1, 2026</code>	<code> accessdate=Template:Currentmonthday, 2026</code>
Access date impossibly far in the past (typo)	<code> access-date=1 January 2001</code>	<code> access-date=1 January 20Template:Green</code>
Access date only specifies month	<code> access-date=January 2015</code>	<code> access-date=Template:Green 2015</code>
Ambiguous date range or year and month	<code> date=2002-03</code>	<ul style="list-style-type: none"> <code>• date=2002–Template:Green03</code> <code>• date=Template:Green 2002</code>
Bad abbreviation	<code> date=Febr. 28, 1900</code>	<ul style="list-style-type: none"> <code>• date=Template:Green 28, 1900</code> <code>• date=Template:Green 28, 1900</code>

Nonexistent date	date=February 29, 1900	
Undated	date=Undated	date=Template:Green
Comma in month and year	date=February, 1900	date=February 1900
Comma in season	date=Winter, 1900–1901	date=Winter 1900–1901
Missing comma in format which requires it	date=February 28 1900	date=February 28Template:Green 1900 or date=28 February 1900
Non-date text	date=2008, originally 2000	date=2008 Template:Green
Zero-padding	date=January 04, 1987	date=January Template:Green, 1987
Date with slashes	date=12/6/87	• date=Template:Green87 • date=Template:Green87
Two-digit year	date=87-12-06	date=Template:Green87-12-06
One-digit month or day	date=2007-3-6	date=2007-Template:Green-Template:Green
Wikified date	date=[[April 1]], [[1999]]	date=Template:Green
"mm-dd-yyyy" or "dd-mm-yyyy" date format	date=07-12-2009	date=Template:Green 2009 or date=Template:Green 2009 or date=Template:Green 2009 or date=Template:Green 2009
Approximate or uncertain dates	date=circa 1970 or date={{circa}} 1970	date=Template:Green 1970

Check |doi= value[[edit source](#)]

<section begin=bad_doi_help_text />[Template:Help desk](#)Check |doi= value

When [Citation Style 1](#) and [Citation Style 2](#) templates contain |doi=, a test is done to see if the prefix portion of the DOI value is correctly formatted and has what appears to be a valid registrant code. A proper doi prefix begins with the 10. directory indicator. The remaining portion of the prefix is a string of digits and the dot character which form the registrant code. When the directory indicator is 10., the cs1|2 templates test for a valid registrant code. Valid registrant codes:

- must be composed of digits
- must be in the range:
 - 1000–9999
 - 10000–39999
- may have one or more subcodes that begin with a dot followed by digits (1000.10)
- must not be 5555 (invalid/temporary/test)

Additionally, the |doi= value is checked to make sure that it does not contain spaces, en dashes, does not end with punctuation. Further validation of the DOI is not performed.

To resolve this error, ensure that the |doi= value is correct.

Pages with this error are automatically placed in [Category:CS1 errors: DOI](#).^[lower-alpha 1]`<section end=bad_doi_help_text />`

Check `|hdl= value`[\[edit source\]](#)

`<section begin=bad_hdl_help_text />`[Template:Help desk](#)Check `|hdl= value`

When [Citation Style 1](#) and [Citation Style 2](#) templates contain `|hdl=`, a test is done to see if the [hdl](#) value looks like a properly defined value. The `|hdl= value` is checked to make sure that it does not contain spaces or en dashes and does not end with punctuation. Further validation of the `hdl` is not performed.

To resolve this error, ensure that the `|hdl= value` is correct.

Pages with this error are automatically placed in [Category:CS1 errors: HDL](#).^[lower-alpha 1]`<section end=bad_hdl_help_text />`

Check `|isbn= value`[\[edit source\]](#)

`<section begin=bad_isbn_help_text />`[Template:Help desk](#)Check `|isbn= value: <type>`

[Citation Style 1](#) and [Citation Style 2](#) templates that contain `|isbn=` are checked to ensure that the [ISBN](#) is the proper length (ten or thirteen digits), that the ISBN uses the correct optional separators (simple space or hyphen), and that the final [check digit](#) is correct according to the ISBN specification. Only one ISBN is allowed in this field because the whole `|isbn= value` is included in the citation's [COinS metadata](#). See also [Wikipedia:COinS](#). More than one ISBN, or characters that are not part of the ISBN, corrupt the COinS metadata and may also corrupt the link to [Special:BookSources](#).

The error message `<type>` indicator can be:

- length - ISBN is not 10 or 13 digits
- checksum - ISBN has one or more incorrect digits; look for typos and transposition
- invalid character - ISBN has one or more 'digits' that is not in the allowed set appropriate to ISBN length
- invalid prefix - 13-digit ISBNs must begin with '978' or '979'
- invalid form - 10-digit ISBNs with the mis-positioned 'X' character

To resolve this error, ensure that the `|isbn= value` is correct, that only one ISBN is used, that the proper optional separators are used, and that no other text is included. Use the 13-digit ISBN *when it is available*. When a 10-digit ISBN is used, if the check digit is a lowercase 'x', change it to an uppercase 'X'.

- **Do not** try to resolve the error by simply recalculating the check digit. The check digit is there to check whether the main part of the number is correct. If the ISBN is failing to validate, it is likely that there is a typo in the main part of the number. In this case, recalculating the check digit results in an apparently valid ISBN that leads to the wrong source (or to nowhere).
- If you only have a 10-digit ISBN, **do** use the number as-is, do not try to convert it to the 13-digit form.
- If the ISBN as printed in your source is refusing to validate, **do** check both the front matter and the book cover for ISBNs. It is not uncommon for the ISBN to be misprinted in the front

matter but correct on the cover.

- **Do** preview your edit and check that the new ISBN does now link to the correct source.

In very rare cases, publishers have released books with malformed ISBNs. If you are certain that a non-conforming ISBN truly corresponds to the published work, then you can add `|ignore-isbn-error=true` to the citation in order to suppress the error message. In many cases, books may have been reissued with a corrected ISBN. Use a corrected ISBN when possible.

Sometimes there are numbers assigned to `|isbn=` that appear to be legitimate - length is right, check digit is correct - but that aren't true ISBN numbers. This [tool](#) may be helpful.

See also [Wikipedia:ISBN](#).

Pages with this error are automatically placed in [Category:CS1 errors: ISBN](#).^[lower-alpha]`<section end=bad_isbn_help_text />`

Check `|ismn= value`[\[edit source\]](#)

`<section begin=bad_ismn_help_text />`[Template:Help desk](#)Check `|ismn= value`

[Citation Style 1](#) and [Citation Style 2](#) templates that contain `|ismn=` are checked to ensure that the [ISMN](#) is the proper length (thirteen digits), that the ISMN uses the correct optional separators (simple space or hyphen), and that the final [check digit](#) is correct according to the ISMN specification. Only one ISMN is allowed in this field because the whole `|ismn= value` is included in the citation's [COinS metadata](#). See also [Wikipedia:COinS](#). More than one ISMN, or characters that are not part of the ISMN, corrupt the COinS metadata.

To resolve this error, ensure that the `|ismn= value` is correct, that only one ISMN is used, that the proper optional separators are used, and that no other text is included. Make sure that the ISMN contains exactly 13 digits.

Pages with this error are automatically placed in [Category:CS1 errors: ISMN](#).^[lower-alpha]`<section end=bad_ismn_help_text />`

Check `|issn= value`[\[edit source\]](#)

`<section begin=bad_issn_help_text />`[Template:Help desk](#)

- Check `|issn= value`
- Check `|eissn= value`

[Citation Style 1](#) and [Citation Style 2](#) templates that contain `|issn=` and/or `|eissn=` are checked to ensure that the [ISSN](#) is the proper length (eight digits) and that the final [check digit](#) validates according to the ISSN specification. Only one each of ISSN and eISSN is allowed in this field because the whole `|issn=` and `|eissn=` values are included in the citation's [COinS metadata](#). See also [Wikipedia:COinS](#). The ISSN and eISSN are always rendered as two four-digit numbers separated with a hyphen.

To resolve this error, ensure that the `|issn=` and `|eissn=` values are correct, that only one value per parameter is used, and that no other text is included (allowable characters are 0-9, X, and -). If the check-digit is a lowercase 'x', change it to an uppercase 'X'.

Pages with this error are automatically placed in [Category:CS1 errors: ISSN](#).^[lower-alpha 1]<section end=bad_issn_help_text />

Check **|jfm= value**[\[edit source\]](#)

<section begin=bad_jfm_help_text />[Template:Help desk](#)Check |jfm= value

When [Citation Style 1](#) and [Citation Style 2](#) templates contain |jfm=, a test is done to see if the [jfm](#) identifier value looks like a properly defined value. The |jfm= identifier is checked to make sure that it has the form: nn.nnnn.nn where n is any digit 0-9. Further validation of the jfm identifier is not performed.

To resolve this error, ensure that the |jfm= value is correct.

Pages with this error are automatically placed in [Category:CS1 errors: JFM](#).^[lower-alpha 1]<section end=bad_jfm_help_text />

Check **|lccn= value**[\[edit source\]](#)

<section begin=bad_lccn_help_text />[Template:Help desk](#)Check |lccn= value

The |lccn= parameter is the [Library of Congress Control Number](#) identifier. It is checked to ensure that the identifier is the proper length and has the correct initial digits.

LCCN is a character string 8-12 characters long. The length of the LCCN dictates the character type of the initial 1-3 characters; the rightmost eight are always digits.^[5]

LCCN format description

Length	Description
8	all characters are digits
9	first character is a lower case letter
10	first two characters are either both lower case letters or both digits
11	first character is a lower case letter, second and third characters are either both lower case letters or both digits
12	first two characters are both lower case letters

Further validation is not performed.

To resolve this error, ensure that the |lccn= value is correct and that there are no other letters, punctuation, or other characters.

When receiving this error, be on the lookout for publishers who omitted leading zeros in the LCCN following the two or four digit year. For example, an LCCN that is [properly 92-035427](#) could be shortened in the printed work to [92-35247](#). When experimenting with inserting omitted zeroes, cross-check the finished number against the LCCN permalinks online.

Pages with this error are automatically placed in [Category:CS1 errors: LCCN](#).^[lower-alpha 1]<section end=bad_lccn_help_text />

Check `|message-id= value`[\[edit source\]](#)

`<section begin=bad_message_id_help_text />`[Template:Help desk](#)Check `|message-id= value`

The `|message-id=` parameter holds the unique identifier associated with a netnews message.^[6] The value in `|message-id=` is checked to make sure that it contains @ between left and right identifiers. `|message-id=` is also checked to make sure that the first character is not < and the last character is not >. [Module:Citation/CS1](#) adds the uri `news:` to the value in `|message-id=`. If the value in `|message-id=` is wrapped in `<...>` characters, the link created fails.

Further validation is not performed.

To resolve this error, ensure that the `|message-id=` value is correct, that it contains @ and is not wrapped in `<...>` characters.

Pages with this error are automatically placed in [Category:CS1 errors: message-id](#).^[lower-alpha 1]`<section end=bad_message_id_help_text />`

Check `|mr= value`[\[edit source\]](#)

`<section begin=bad_mr_help_text />`[Template:Help desk](#)Check `|mr= value`

When [Citation Style 1](#) and [Citation Style 2](#) templates contain `|mr=`, a test is done to see if the `mr` identifier value looks like a properly defined value. The `|mr=` identifier is checked to make sure that it contains only digits and that it is no more than seven digits in length. Further validation of the `mr` identifier is not performed.

To resolve this error, ensure that the `|mr=` value is correct.

Pages with this error are automatically placed in [Category:CS1 errors: MR](#).^[lower-alpha 1]`<section end=bad_mr_help_text />`

Check `|oclc= value`[\[edit source\]](#)

`<section begin=bad_oclc_help_text />`[Template:Help desk](#)Check `|oclc= value`

The `|oclc=` parameter is the [OCLC](#) identifier. Only a single OCLC identifier is allowed. The identifier must be in one of these forms:

1. prefix `ocm` followed by 8 digits
2. prefix `ocn` followed by 9 digits
3. prefix `on` followed by 10 digits
4. prefix `(OCoLC)` followed by a variable number of digits without leading zeros
5. 1 to 10 digits without prefix

Further validation is not performed.

To resolve this error, ensure that the `|oclc=` value is correct.

A tip for fixing this error: Editors sometimes place valid [ISBN](#), [LCCN](#), [ASIN](#), or other identifiers in `|oclc=`.

Pages with this error are automatically placed in [Category:CS1 errors: OCLC](#).^[lower-alpha 1]`<section end=bad_oclc_help_text />`

Check `|ol= value`[\[edit source\]](#)

`<section begin=bad_ol_help_text />`[Template:Help desk](#)Check `|ol= value`

The `|ol=` parameter is the [Open Library](#) identifier. The identifier is one or more digits followed by a last character that is either A (authors), M (books), or W (works). Further validation is not performed.

To resolve this error, ensure that the `|ol=` value is correct. Do not include "OL" in the value.

Pages with this error are automatically placed in [Category:CS1 errors: OL](#).^[lower-alpha 1]`<section end=bad_ol_help_text />`

Check `|<param>-link= value`[\[edit source\]](#)

`<section begin=bad_paramlink_help_text />`[Template:Help desk](#)

- Check `|<param>-link= value`
- Check `|<param>= value`

These link-holding parameters and their matching title-holding parameters are combined to create a working [wikilink](#) to a related article.

- `|author-link=`
- `|contributor-link=`
- `|editor-link=`
- `|episode-link=`
- `|series-link=`
- `|subject-link=`
- `|title-link=`
- `|translator-link=`
- `|author=`
- `|contributor=`
- `|editor=`
- `|episode=`
- `|series=`
- `|subject=`
- `|title=`
- `|translator=`

(Parameters checked for this error may also be of the form `|authorlink=`, `|authorlink1=`, `|author1-link=`, or `|author-link1=`.)

This error occurs when any of these `|<param>-link=` parameters contain a wikilink or a URL, or they contain any of the characters not permitted in Wikipedia article titles per [WP:TITLESPECIALCHARACTERS](#) (except `_` (underscore), used as a replacement for spaces, and `#`, used as a [fragment identifier](#) when linking to article sections). The prohibited characters are: `<` `>` `[`

}] | { }.

The `|<param>-link=` parameter value should contain only the title of a Wikipedia article or a link to a section of a Wikipedia article. [Module:Citation/CS1](#) checks the `|<param>-link=` parameter values for wikimarkup and for a [URI scheme](#) (`http://`, `https://`, the protocol relative scheme `//`, etc.).

This error can also be caused when there is a `|<param>-link=` value and the matching `|<param>=` parameter contains a wikilink.

To resolve this error, do one of the following:

- Ensure that the `|<param>-link=` value is the full name of a Wikipedia article (without brackets) or a section of an article, and not a link to an external web site.
- Make sure that there are no wikilinks in the matching `|<param>=` parameters.
- If you want to link to a URL outside of Wikipedia, move the link to `|url=` or a similar parameter, if one is available in the template you are using.

Pages with this error are automatically placed in [Category:CS1 errors: parameter link](#).^[lower-alpha]
^[1]`<section end=bad_paramlink_help_text />`

Check `|pmc= value`[\[edit source\]](#)

`<section begin=bad_pmc_help_text />`[Template:Help desk](#)Check `|pmc= value`

The `|pmc=` parameter is the [PubMed Central](#) identifier. PMCs are sequential numbers beginning at 1 and counting up. [Module:Citation/CS1](#) checks the PMC identifier to make sure that the value is a number greater than zero and less than 6000000 and that the identifier contains only digits. Further validation is not performed.

To resolve this error, ensure that the `|pmc=` value is correct, and that there are no letters, punctuation, or other characters. Do not include "PMC" in the value.

Pages with this error are automatically placed in [Category:CS1 errors: PMC](#).^[lower-alpha]
`<section end=bad_pmc_help_text />`

Check `|pmid= value`[\[edit source\]](#)

`<section begin=bad_pmid_help_text />`[Template:Help desk](#)Check `|pmid= value`

The `|pmid=` parameter is the [PubMed identifier](#). PMIDs are checked to ensure that the identifier is a simple number without punctuation or spaces with a value greater than or equal to 1 and less than or equal to 33000000. Further validation is not performed.

To resolve this error, ensure that the `|pmid=` value is correct. If you find something that looks like a PMID and begins with "PMC", use `|pmc=` instead of `|pmid=`.

Pages with this error are automatically placed in [Category:CS1 errors: PMID](#).^[lower-alpha]
`<section end=bad_pmid_help_text />`

Check `|ssrn= value`[\[edit source\]](#)

`<section begin=bad_ssrn_help_text />`[Template:Help desk](#)Check `|ssrn= value`

The `|ssrn=` parameter is the [Social Science Research Network identifier](#). SSRNs are checked to ensure that the identifier is a simple number without punctuation or spaces with a value greater than or equal to 100 and less than or equal to 3500000. Further validation is not performed.

To resolve this error, ensure that the `|ssrn= value` is correct.

Pages with this error are automatically placed in [Category:CS1 errors: SSRN](#).^[lower-alpha]`<section end=bad_ssrn_help_text />`

Check `|url= value`[\[edit source\]](#)

`<section begin=bad_url_help_text />`[Template:Help desk](#)Check `|url= value`

External links in [Citation Style 1](#) and [Citation Style 2](#) templates are made from two parts: the *title* (`|title=`, `|chapter=`, etc.) and the *URL* (`|url=`, `|archive-url=`, `|chapter-url=`, `|lay-url=`, etc.). The `|url=` parameter and other URL parameters must begin with a supported [URI scheme](#). The URI schemes `http://`, `https://` and the protocol relative scheme `//` are most commonly used; `irc://`, `ircs://`, `ftp://`, `news:`, `mailto:` and `gopher://` are also supported.

The URL field is checked to ensure that it contains only Latin characters and does not contain spaces. The URL may be protocol relative (begins with `//`). If there are no spaces and the URL is not protocol relative, then the scheme must comply with RFC 3986.^{[?}

Top- and second-level domain names are checked for proper form. Generally, top-level domain names must be two or more letters; second-level domain names must be two or more letters, digits, or hyphens (first and last character must be a letter or digit). [Single-letter second-level domains](#) are supported for:

- all [cc TLDs](#) (the country code is not validated)
- the [.org TLD](#)
- certain letters of the [.com](#) TLD (q, x, z)
- certain letters of the [.net](#) TLD (i, q)

Third- and subsequent-level domain names are not checked. The path portion of the URL is not checked.

To resolve this error, ensure that `|url=` and other URL parameters contain valid URLs. Online tools are available to [internationalize](#) URLs that are written in non-Latin scripts:

- ["IDN Conversion Tool"](#). *Verisign*.
- ["IDNA Conversion tool"](#). *IDNA-converter.com*.

Pages with this error are automatically placed in [Category:Pages with URL errors](#).^[lower-alpha]`<section end=bad_url_help_text />`

Check |zbl= value[[edit source](#)]

<section begin=bad_zbl_help_text />[Template:Help desk](#)Check |zbl= value

When [Citation Style 1](#) and [Citation Style 2](#) templates contain |zbl=, a test is done to see if the [zbl](#) identifier value looks like a properly defined value. The |zbl= identifier is checked to make sure that it has the form: nnnn.nnnnn where n is any digit 0-9. Up to three leading zeros in the first quartet may be omitted. Further validation of the zbl identifier is not performed.

To resolve this error, ensure that the |zbl= value is correct.

Pages with this error are automatically placed in [Category:CS1 errors: ZBL](#).^{[lower-alpha 1](#)}<section end=bad_zbl_help_text />

|biorxiv= required[[edit source](#)]

<section begin=biorxiv_missing_help_text />[Template:Help desk](#)|biorxiv= required

{{[cite bioRxiv](#)}} requires the identifier parameter |biorxiv=.

To resolve this error, ensure that the template has |biorxiv= with a properly constructed value.

Pages with this error are automatically placed in [Category:CS1 errors: bioRxiv](#).^{[lower-alpha 1](#)}<section end=biorxiv_missing_help_text />

Cite <template> requires |<param>=[[edit source](#)]

<section begin=missing_periodical_help_text />[Template:Help desk](#)Cite <template> requires |<param>

These CS1 periodical templates require a periodical parameter. The periodical templates are:

```
{{cite journal}}
{{cite magazine}}
```

The error message suggests a periodical parameter that matches the template, but there is no requirement to use the suggested parameter; any one of these periodical parameters may be used:

- |journal=
- |magazine=
- |newspaper=
- |periodical=
- |website=
- |work=

Pages with this error are automatically placed in [Category:CS1 errors: missing periodical](#) (0 pages).^{[lower-alpha 1](#)}<section end=missing_periodical_help_text />

Cite uses deprecated parameter |<param> [[edit source](#)]

<section begin=deprecated_params_help_text />[Template:Help desk](#)Cite uses deprecated parameter |<param>

Over time, some parameters have become obsolete or unnecessary. When this happens, the parameters are identified as deprecated. Editors are encouraged to use other parameters that accomplish the same purpose as those that have been deprecated. The CS1|2 deprecated parameters are listed in the following table, along with recommended replacement parameters. Parameter names are case-sensitive. Editors should expect that support for deprecated parameters will be withdrawn.<section begin=deprecated_params_table />

Deprecated CS1/CS2 parameters

Deprecated parameter	Replace with
----------------------	--------------

none deprecated at present	
----------------------------	--

<section end=deprecated_params_table />

To resolve this error, use a supported parameter.

Pages with this error are automatically placed in [Category:CS1 errors: deprecated parameters](#).^[lower-alpha 1]<section end=deprecated_params_help_text />

|citereerx= required [[edit source](#)]

<section begin=citereerx_missing_help_text />[Template:Help desk](#)|citereerx= required

{{[cite citereerx](#)}} requires the identifier parameter |citereerx=.

To resolve this error, ensure that the template has |citereerx= with a properly constructed value.

Pages with this error are automatically placed in [Category:CS1 errors: citereerx](#).^[lower-alpha 1]<section end=citereerx_missing_help_text />

|class= ignored [[edit source](#)]

<section begin=class_ignored_help_text />[Template:Help desk](#)|class= ignored

Only used in {{[cite arXiv](#)}} templates, |class= is only appropriate when the template uses |arxiv=YYMM.NNNN or |arxiv=YYMM.NNNNN identifier formats; see [Cite arXiv \\$Usage](#).

To resolve this error, remove |class=.

Pages with this error are automatically placed in [Category:CS1 errors: class](#).^[lower-alpha 1]<section end=class_ignored_help_text />

|contributor= ignored [[edit source](#)]

<section begin=contributor_ignored_help_text />[Template:Help desk](#)|contributor= ignored

Only used in book citations, |contributor= identifies the author of a contribution, typically an

afterword, foreword, introduction, preface, etc., to another (primary) author's work. This error occurs when `|contributor=` is used in a template that is not `{{cite book}}` or `{{citation}}` or is one of these two templates and one of the `|work=` parameter aliases is set.

To resolve this error, choose a more appropriate CS1 or CS2 template or remove `|contributor=`.

Pages with this error are automatically placed in [Category:CS1 errors: contributor](#).^[lower-alpha]`<section end=contributor_ignored_help_text />`

`|contributor=` requires `<param>=` [\[edit source\]](#)

`<section begin=contributor_missing_required_param_help_text />`[Template:Help desk](#)

- `|contributor=` requires `|author=`
- `|contributor=` requires `|contribution=`

Only used in book citations, `|contributor=` identifies the author of a contribution, typically an afterword, foreword, introduction, preface, etc., to another (primary) author's work. As such, the primary author is required (`|author=` or appropriate alias) as is the title of the contribution (`|contribution=`).

To resolve this error, include the book's primary author in `|author1=`, or `|last1=`, `|first1=`, or `|vauthors=` and include the contribution title in `|contribution=`; or remove `|contributor=`.

Pages with this error are automatically placed in [Category:CS1 errors: contributor](#).^[lower-alpha]`<section end=contributor_missing_required_param_help_text />`

Empty citation[\[edit source\]](#)

`<section begin=empty_citation_help_text />`[Template:Help desk](#)Empty citation

A [Citation Style 1](#) or [Citation Style 2](#) template marked as "Empty" contains no recognizable parameter identifiers. For example, this citation is marked as "empty" even though it contains usable information:

```
{{cite web | http://www.foobar.com | The Foobar News}}
```

The citation is "empty" because it does not contain the necessary parameter identifiers (in this case `|url=` and `|title=`) that tell `{{cite web}}` how to use the information that the citation does contain.

A citation is also marked as "empty" when it contains only parameters that it doesn't recognize:

```
{{cite book |titolo=The Bazquux Uprising |anno=2015}}
```

This citation is "empty" because the Italian-language parameters `|titolo=` and `|anno=` are not recognized as valid parameter names on the English Wikipedia.

"Empty citation" may also mean that an editor meant to use another template entirely. Perhaps the editor used `{{citation}}` when the intent was to use `{{citation needed}}` or `{{quote}}`.

To resolve this error, add appropriate parameter identifiers, translate foreign language parameter names to their English equivalents, or replace the CS1/CS2 template with a more appropriate template.

Pages with this error are automatically placed in [Category:Pages with empty citations](#).^[lower-alpha]

<section end=empty_citation_help_text />

Explicit use of et al.[[edit source](#)]

<section begin=explicit_etal_help_text />[Template:Help desk](#)Explicit use of et al. in: |<param>=

This error occurs where a [Citation Style 1](#) or [Citation Style 2](#) template detects that one of the names parameters contains some form of "et al." either as a separate name parameter (|author6=et al.) or as a suffix added to a name list (|author=Smith, A.B. et al.) or first name (|first=John, et al.).

This error can occur in any of the author, editor, interviewer, translator, or contributor parameters.

Use the |display-authors= parameter instead (or other applicable display-X parameter), as documented at [Help:Citation Style 1#Display options](#).

Pages with this error are automatically placed in [Category:CS1 errors: explicit use of et al.](#)^[lower-alpha]

<section end=explicit_etal_help_text />

External link in |<param>=[[edit source](#)]

<section begin=param_has_ext_link_help_text />[Template:Help desk](#)External link in |<param>=

This error occurs when any of the [CS1](#) or [CS2 citation](#) title-holding parameters - |title=, |chapter=, |publisher=, |work= or any of its aliases: |journal=, |magazine=, |newspaper=, |periodical= and |website= - hold an external link (URL). External links in these parameters corrupt the citation's metadata and can be the source of a variety of other error messages.

To resolve this error, remove the external link from the identified parameter. Consider placing the external link in a more appropriate parameter:

- for |chapter=, the URL may belong in |chapter-url=.
- for other parameters, it may belong in |url=.

Pages with this error are automatically placed in [Category:CS1 errors: external links](#) (0 pages).^[lower-alpha]

<section end=param_has_ext_link_help_text />

|<first>*n*= missing |<last>*n*=[[edit source](#)]

<section begin=first_missing_last_help_text />[Template:Help desk](#)|<first>*n*= missing |<last>*n*=

[Citation Style 1](#) and [Citation Style 2](#) templates requires a |<last>*n*= parameter for each |<first>*n*= parameter in a citation. Author, contributor, editor, interviewer, and translator lists are checked for proper last/first pairing. CS1|2 will emit this error message for the first mismatch it detects. If there are more last/first mismatches in a citation, subsequent mismatches are not detected.

There is no requirement that each `|<last>n=` have a matching `|<first>n=`.

To resolve this error, ensure that each `|<first>n=` has a corresponding `|<last>n=`.

Pages with this error are automatically placed in [Category:CS1 errors: missing name](#).^[lower-alpha]
`<section end=first_missing_last_help_text />`

|format= requires |url= [\[edit source\]](#)

`<section begin=format_missing_url_help_text />`[Template:Help desk](#)

- `|format=` requires `|url=`
- `|...-format=` requires `|...-url=`

These errors occur when [Citation Style 1](#) and [Citation Style 2](#) templates use `|format=` or `|...-format=` without also providing a corresponding URL for `|url=` or `|...-url=`, respectively. The `|format=` and `|...-format=` parameters are used to specify the file format of a web resource, such as [PDF](#), [DOC](#), or [XLS](#). In some cases an editor may have intended to use `|type=` to specify a kind of document, such as hard cover, paperback, or pamphlet. The `|format=` and `|...-format=` value is always displayed.

The list of `|...-format=` parameters is:

`|archive-format=`, `|chapter-format=`, `|conference-format=`, `|contribution-format=`, `|event-format=`, `|lay-format=`, `|section-format=`, `|transcript-format=`

As of 29 November 2014, `|chapter-format=` is a new parameter. Citations that relied on the old, somewhat odd use of `|url=` and `|format=` may need adjustment.

To resolve this error, remove `|format=` or `|chapter-format=`; define `|url=` or `|chapter-url=`; or change `|format=` to `|type=` (or to `|chapter-format=` if `|chapter-url=` is used without `|url=`).

Pages with this error are automatically placed in [Category:Pages using citations with format and no URL](#).^[lower-alpha]
`<section end=format_missing_url_help_text />`

Invalid |script-*<param>*=: <type> [\[edit source\]](#)

`<section begin=script_parameter_help_text />`[Template:Help desk](#)Invalid `|script-<param>=:`
`<type>`

The various `|script-<param>=` parameters are checked for proper form. When an error is detected, the error message briefly identifies the type of the error:

- missing title part - the `|script-<param>=` parameter has a language-code prefix but is otherwise empty
- missing prefix - the `|script-<param>=` parameter has text but is missing the required language-code prefix; the prefix has the form `xx:` where `xx` is a valid [ISO 639-1](#) language code known to cs1|2 as a language that uses a non-Latin script; the colon (`:`) is required
- unknown language code - the `|script-<param>=` parameter has a (possibly valid) ISO 639-1

language code that cs1|2 does not recognize as a language using a non-Latin script

Known codes are: **Script error: No such module "cs1_lang_lister".**

Pages with this error are automatically placed in [Category:CS1 errors: script parameters](#).^[lower-alpha]
¹<section end=script_parameter_help_text />

Invalid <param>=<value> [\[edit source\]](#)

<section begin=invalid_param_val_help_text />[Template:Help desk](#)Invalid |<param>=<value>

To function properly, some parameters are limited to a certain set of acceptable values. This error message indicates that a parameter has been assigned a value that is not a member of the parameter's defined set of acceptable values.

Letters in values must all be in lower case, as shown below.

Parameters with limited acceptable values

parameter	acceptable values
df=	dmy, dmy-all, mdy, mdy-all, ymd, ymd-all
ignore-isbn-error=	true, y, yes
last-author-amp=	
mode=	cs1, cs2
name-list-format=	vanc
nopp=	
no-tracking=	true, y, yes
registration=	
subscription=	
url-access=	
article-url-access=	
chapter-url-access=	
contribution-url-access=	subscription, registration, limited
entry-url-access=	
map-url-access=	
section-url-access=	
bibcode-access=	
doi-access=	
hdl-access=	free
jstor-access=	
ol-access=	
osti-access=	
url-status=	dead, live, unfit, usurped

To resolve this error, use an appropriate value.

Pages with this error are automatically placed in [Category:CS1 errors: invalid parameter value](#).^[lower-alpha]
¹<section end=invalid_param_val_help_text />

Italic or bold markup not allowed in: |<param>=**[edit source]**

<section begin=apostrophe_markup_help_text />[Template:Help desk](#)Italic or bold markup not allowed in: |<param>*n*= Italic (' ') or bold (' ' ') wikimarkup is not allowed in publisher and periodical parameters. These parameters include:

- |publisher=
- |journal=
- |magazine=
- |newspaper=
- |periodical=
- |website=
- |work=

To resolve this error, remove wiki markup from the named parameter's value and ensure that the template is using the correct parameters; when citing a newspaper, use |newspaper= for the newspaper's name, not |publisher=, etc.

Pages with this error are automatically placed in [Category:CS1 errors: markup](#).^{[lower-alpha]1}<section end=apostrophe_markup_help_text />

Missing |<name>*n*=[edit source]

<section begin=missing_name_help_text />[Template:Help desk](#)Missing |<name>*n*=

So that all names are listed in a rendered citation, [Citation Style 1](#) and [Citation Style 2](#) templates require *n* in |<last>*n*= (and its aliases) to increment by 1 for each name in the list (author, contributor, editor, interviewer, translator). This error message is emitted when there is a 'hole' in the numbering (an author list made up of |author1= and |author3= but without |author2= for example).

The test will not detect a 'hole' that is larger than 1. It is presumed that when |author*n*= and |author*n*+1= are both not present, then the test has reached the end of the list.

To resolve this error, ensure that the numbering of the |<last>*n*= parameters increments properly.

Pages with this error are automatically placed in [Category:CS1 errors: missing name](#).^{[lower-alpha]1}<section end=missing_name_help_text />

Missing pipe[edit source]

<section begin=missing_pipe_help_text />[Template:Help desk](#) Missing pipe in: <param>=

[Citation Style 1](#) and [Citation Style 2](#) templates report this error when one parameter has text that looks like it is a parameter missing a pipe (|). This error occurs when a template parameter value contains characters and digits followed by an equal sign. If the alphanumeric text immediately preceding the equal sign is a valid cs1|2 parameter name, the module assumes that the template is missing a pipe and emits this error message.

Some legitimate titles will contain a cs1|2 parameter name followed by an equal sign. In that case,

enclose the equal sign in nowiki tags, like this: `<nowiki>=</nowiki>`. For most other cases, simply add the missing pipe.

Pages with this error are automatically placed in [Category:CS1 errors: missing pipe](#).^[lower-alpha]
`<section end=missing_pipe_help_text />`

Missing or empty `|title=` [\[edit source\]](#)

There are two slightly different error conditions that can arise when [CS1 citations](#) lack appropriate titles. In each case, CS1 reports this error message. The necessary resolution may vary depending on the cause of the error. The error message links to the appropriate description below.

Bare URL without a title[\[edit source\]](#)

`<section begin=bare_url_missing_title_help_text />`[Template:Help desk](#)`|<param>= missing title`

All [Citation Style 1](#) and [Citation Style 2](#) templates report this error when one of the [URL](#)-containing parameters cannot be paired with an associated title. This error may also occur when `|title=` cannot be linked with `|url=` because the citation also contains a conflicting `|title-link=` parameter.

URL-containing parameters and associated title parameters

URL parameters	Title parameters
<code> archive-url=</code>	<code> title=</code>
<code> chapter-url=</code>	<code> chapter=</code> , <code> contribution=</code> , <code> entry=</code> , <code> article=</code>
<code> conference-url=</code>	<code> conference=</code>
<code> contribution-url=</code>	<code> chapter=</code> , <code> contribution=</code> , <code> entry=</code> , <code> article=</code>
<code> transcript-url=</code>	<code> transcript=</code>
<code> url=</code>	<code> title=</code>

A unique case exists: if `|pmc=` has a value and `|url=` is omitted or empty, then `|title=` is linked with the same URL as the PMC.

Because URLs are ugly and generally uninformative, it is expected that editors should provide a meaningful title for each URL. In most cases this can be accomplished by using the `|title=` parameter.

To resolve this error, provide an appropriate title for the URL-containing parameter. In the case where `|url=` and `|title-link=` are contending for `|title=` you must choose which one to keep. Consider moving `|url=` or `|title-link=` to a more suitable parameter.

Pages with this error are automatically placed in [Category:Pages with citations having bare URLs](#) (0 pages).^[lower-alpha]
`<section end=bare_url_missing_title_help_text />`

Citation without a title of any form[\[edit source\]](#)

`<section begin=citation_missing_title_help_text />`[Template:Help desk](#)

- Missing or empty `|title=`
- Missing or empty `|series=`

This error occurs for [Citation Style 1](#) and [Citation Style 2](#) templates when all of `|title=`, `|trans-title=`, and `|script-title=` are omitted or left blank. At least one of these title parameters must be provided for each citation.

`{{cite episode}}` will show this error if `|series=` is omitted or left blank (even if a `|title=` is provided).

Sometimes this error occurs because an editor has used a CS1|2 citation as a [shortened footnote](#) when `{{sfn}}` or one of the `{{harv}}` family of templates would have been more appropriate. This error also occurs when an editor used `{{citation}}` but intended to use `{{citation needed}}`.

To resolve this error, provide a value for `|title=`, `|trans-title=`, and/or `|script-title=` or replace the CS1|2 template with a more appropriate template. If you are listing a periodical or an issue of a periodical in a bibliography rather than within `<ref>...</ref>` tags, `{{List journal}}` may be more appropriate.

Pages with this error are automatically placed in [Category:Pages with citations lacking titles](#) (0 pages).^{[lower-alpha 1](#)}`<section end=citation_missing_title_help_text />`

Missing or empty `|url=` [\[edit source\]](#)

`<section begin=cite_web_url_help_text />`[Template:Help desk](#)Missing or empty `|url=`

This error message is reported by `{{cite web}}`, `{{cite podcast}}`, and `{{cite mailing list}}` when the template parameters `|url=` and `|archive-url=` are both missing, blank or not properly entered. Note that `|website=` or `|work=` is the name of the site, not the URL.

To resolve this error, provide a value for `|url=` or use a more appropriate template such as `{{cite book}}`, `{{cite journal}}` or other [Citation Style 1](#) or [Citation Style 2](#) template.

Pages with this error are automatically placed in [Category:Pages using web citations with no URL](#) (0 pages).^{[lower-alpha 1](#)}`<section end=cite_web_url_help_text />`

More than one of `|<param1>=`, `|<param2>=`, and `|<param3>=` specified [\[edit source\]](#)

`<section begin=redundant_parameters_help_text />`[Template:Help desk](#)More than one of `|<param1>=`, `|<param2>=`, and `|<param3>=` specified

This error occurs when a [Citation Style 1](#) or [Citation Style 2](#) template includes more than one parameter that maps to the same meaning. For example, `|author=`, `|last=`, and `|last1=` are all synonyms of each other, so no more than one of these parameters should ever be used in a single template.

To resolve this error, remove or modify the redundant parameter(s).

- More than one of author-name-list parameters specified
- More than one of editor-name-list parameters specified

This error occurs when a CS1 or CS2 template uses more than one type of author or editor name-list

style. There are three kinds of incompatible author-name-list styles:

```
|authorn= and |lastn= / |firstn= (and their various aliases), |vauthors=, and
|authors=
```

and similarly, three editor-name-list styles:

```
|editorn= and |editor-lastn= / |editor-firstn= (and their various aliases),
|veditors=, and |editors=
```

To resolve this error, choose one name-list-style. Use the chosen style for both of the author and editor name-lists.

Pages with these errors are automatically placed in [Category:Pages with citations having redundant parameters](#).^[lower-alpha 1]<section end=redundant_parameters_help_text />

|ssrn= required[\[edit source\]](#)

<section begin=ssrn_missing_help_text />[Template:Help desk](#)|ssrn= required

{{cite ssrn}} requires the identifier parameter |ssrn=.

To resolve this error, ensure that the template has |ssrn= with a properly constructed value.

Pages with this error are automatically placed in [Category:CS1 errors: SSRN](#).^[lower-alpha 1]<section end=ssrn_missing_help_text />

Text "????" ignored[\[edit source\]](#)

<section begin=text_ignored_help_text />[Template:Help desk](#)Text "????" ignored

Unlike many Wikipedia templates, the [Citation Style 1](#) and [Citation Style 2](#) templates do not use unnamed or positional parameters. When a citation contains text between [vertical bars](#) and that text does not contain an equal sign (=), CS1|2 ignores the text and reports the error. This is true even when the text is the name of a valid parameter.

This error can also be caused by vertical bars (pipe characters) that are part of URLs or titles. When vertical bars occur in URLs, replace each vertical bar with %7C. When vertical bars occur in parameter values that are not URLs, replace each vertical bar with | or {{!}}.

To resolve this error, remove the extraneous text, add '=', add an appropriate parameter name from the template you're using to complete the parameter, or properly encode vertical bars in URLs and titles.

Pages with this error are automatically placed in [Category:Pages with citations using unnamed parameters](#).^[lower-alpha 1]<section end=text_ignored_help_text />

|trans-<param>= requires |<param>= [\[edit source\]](#)

<section begin=trans_missing_title_help_text />[Template:Help desk](#)

- `|trans-title=` requires `|title=`
- `|trans-chapter=` requires `|chapter=`

[Citation Style 1](#) and [Citation Style 2](#) templates report this error when the citation has an English translation of the title in `|trans-title=` or chapter title in `|trans-chapter=` but does not have the original-language title in `|title=` or original-language chapter title in `|chapter=`.

To resolve this error, provide the original language title for `|title=` or chapter title for `|chapter=`. Consider adding `|language=` if not already part of the citation.

Pages with this error are automatically placed in [Category:CS1 errors: translated title](#).^{lower-alpha}
¹`<section end=trans_missing_title_help_text />`

Unknown parameter `|xxxx=` ignored [\[edit source\]](#)

`<section begin=parameter_ignored_help_text />`[Template:Help desk](#)

- Unknown parameter `|xxxx=` ignored
- Unknown parameter `|xxxx=` ignored (`|yyyy=` suggested)

[Citation Style 1](#) and [Citation Style 2](#) templates report this error when the name portion of a parameter's `|name=value` pair is not recognized as a valid name. Typically, this is caused by spelling or capitalization errors or when a page is reverted to a version where the citation template did support the parameter.

The CS1|2 engine does not ignore unrecognized parameters. The purpose of the citation is to properly identify the source; not act as a repository of notes and ancillary information.

CS1|2 template parameters are lower case. CS1|2 will report this error when the parameter's name contains uppercase letters (**Xxxx**, **xxXx**, **XXXX**) but the parameter's name is defined as lowercase (**xxxx**). The identifier parameters, like `|isbn=`, `|pmc=`, `|doi=`, etc., can be either lower case or upper case, but not of mixed case (`|isbn=` or `|ISBN=` but not `|Isbn=`). For [common parameter misspellings](#), like `|pubisher=` instead of `|publisher=`, CS1|2 will suggest a valid parameter name.

To resolve this error, replace the erroneous parameter name with a correct one, possibly using the suggested name. Ensure that the parameter's name is correctly spelled and that there are no characters except spaces between the parameter's name and the leading vertical bar (|) or trailing equals sign (=). A list of valid parameters can be found by consulting [Help:Citation Style 1](#) or visiting the description page of the specific template being used, such as `{{cite web}}`, `{{cite book}}`, `{{cite journal}}`, etc. Consider moving information associated with the unknown parameter into an appropriate parameter or to a section of the article's talk page for preservation.

Pages with this error are automatically placed in [Category:Pages with citations using unsupported parameters](#).^{lower-alpha 1}
`<section end=parameter_ignored_help_text />`

URL-wikilink conflict[\[edit source\]](#)

`<section begin=wikilink_in_url_help_text />`[Template:Help desk](#)URL-wikilink conflict

External links in a rendered citation are a combination of url-holding parameters, `|url=`, `|chapter-url=`, etc., with title-holding parameters, `|title=`, `|chapter=`, etc. Title-holding parameters may be [wikilinked](#) to another Wikipedia article but not when there is a matching url-holding parameter in the citation. When this condition occurs, the wikilink is suppressed, the wiki markup ignored, and the rendered citation links to the external site.

Some [templates](#) will also cause this error if they are part of a title-holding parameter. The error occurs when the template produces wikilinked content. For example, `{{lang}}` templates output a wikilinked category. Templates in url-holding parameters may also corrupt the citation's [COinS](#) metadata. As a general rule, avoid using templates in title-holding parameters unless you know that the template's effects are entirely visual (`{{!}}` and the like).

This type of error may also occur in identifier-based templates (`{{cite doi}}`, etc.). When this happens, the error message is shown in the article but the error is actually located in the identifier-based citation template.

To resolve this error, remove wikilinks from title-holding parameters that are intended to be externally linked or remove the external URL, which will allow the internal wikilinks to work as expected. If wikilink-producing templates are important to the citation, move them out of the CS1 template but leave them inside the citation's `<ref>...</ref>` tags. Some of the functionality provided by templates may also be available through CS1 parameters.

To resolve errors in identifier-based citation templates, the template must be edited to correct the error. Exercise caution when editing these templates because identifier-based citation templates are often used in multiple articles.

Pages with this error are automatically placed in [Category:CS1 errors: URL-wikilink conflict](#).^[lower-alpha]
<section end=wikilink_in_url_help_text>

Vancouver style error[\[edit source\]](#)

<section begin=vancouver_help_text>[Template:Help desk](#)Vancouver style error

This error is reported for citations that use `|vauthors=`, `|veditors=`, `|name-list-format=vanc`.

[Vancouver style](#) restricts author or editor names to the Latin alphabet. For the purposes of this test, [Module:Citation/CS1](#) defines the Latin alphabet as the letters defined in the [Unicode](#) Latin character sets:

- C0 Controls and Basic Latin^[8] (0041–005A, 0061–007A)
- C1 Controls and Latin-1 Supplement^[9] (00C0–00D6, 00D8–00F6, 00F8–00FF)
- Latin Extended-A^[10] (0100–017F)
- Latin Extended-B^[11] (0180–01BF, 01C4–024F)

This error is also reported when more than two initials are used: in case of more than two initials, list only the first two.

This error is also reported when a corporate or institutional author is listed in `|vauthors=` without proper delimiters. Corporate authors should be listed this way:

|vauthors=First Surname FM, Surname AB, [Template:Green](#)Corporate or institutional Author[Template:Green](#), Lastsurname XY

While normally correct, sometimes the names listed on a PMID page contain errors when the author surname has a lowercase [nobiliary particle](#). For example, [Template:PMID](#) lists Magnus von Knebel Doeberitz as Doeberitz Mv which is not correct. This author's name should be listed as |vauthors=von Knebel Doeberitz M.^[12]

Certain punctuation will be flagged as an error. For example, Unicode U+2019, right single quotation mark, causes an error because it is not a member of the Latin character sets identified above: |vauthors=Van't Veer M. Replace this character with the straight (or typewriter) apostrophe: |vauthors=Van[Template:Greent](#) Veer M.

To resolve this error, Romanize author and editor names.^[13] Romanizing can result in two-letter initials, for example, the Greek letter 'Θ' Romanizes to 'Th'.^[14] When author names have this kind of initial, Module:Citation/CS1 can't know if this kind of initial is a typo or a legitimate Romanized character so it will emit the Vancouver error. To suppress the error after determining that the two-character initial is correct and not a typo, treat the name as if it were a corporate name by wrapping it in doubled parentheses: |vauthors=..., Tatarinov IuS, ... → |vauthors=..., ((Tatarinov IuS)), ...

Similarly, Chinese hyphenated given names may appear in PubMed listings. For example: 'Wang Hsien-yu' may be listed on PubMed as 'Wang Hy' which will result in a Vancouver error. When this occurs, and upon verification that such names are correct, wrap them in doubled parentheses.

Specific Rules for Names:^[15]

- [Surnames with hyphens and other punctuation in them](#)
- [Other surname rules](#)
- [Given names containing punctuation, a prefix, a preposition, or particle](#)
- [Degrees, titles, and honors before or after a personal name](#)
- [Designations of rank within a family, such as Jr and III](#)
- [Names appearing in non-roman alphabets \(Cyrillic, Greek, Arabic, Hebrew, Korean\) or character-based languages \(Chinese, Japanese\)](#)
- [Organizations as author](#)
 - cs1|2 does not obey the semicolon-as-separator rule. Separate corporate and organizational names from each other and from individual names with a comma; wrap corporate and organizational names in doubled parentheses as described above

Pages with this error are automatically placed in [Category:CS1 errors: Vancouver style](#).^[lower-alpha]
¹<section end=vancouver_help_text />

<char> character in |<param>= at position *n*[\[edit source\]](#)

<section begin=invisible_char_help_text />[Template:Help desk](#)<char> character in |<param>= at position *n*

This error is reported for citations with parameter values that contain invisible or non-printable characters known as [control characters](#); the error includes the position at which the character can be found. [Module:Citation/CS1](#) detects parameter values that contain any of these characters:

- [replacement character](#), U+FFFD

- [hair space](#), U+200A
- [zero width space](#), U+200B
- [zero width joiner](#), U+200D
- [soft hyphen](#), U+00AD
- [horizontal tab](#), U+0009 (HT)
- [line feed](#), U+0010 (LF)
- [carriage return](#), U+0013 (CR)
- [delete character](#), U+007F (DEL)
- [C0 control](#), U+0000-U+001F (NULL-US)
- [C1 control](#), U+0080-U+009F (XXX-APC)

To resolve invisible-character errors, remove or replace the identified character. Because these characters are mostly invisible, the error message identifies the character's position in the parameter value counted from the left. Space characters between the assignment operator (the '=' sign) and the parameter value are not counted. If you move through the citation with the arrow keys then the cursor may stand still once at an invisible character which can be removed with [Template:Keypress](#) or [Template:Keypress](#). If you copy-paste a string to the "Characters" field at <https://r12a.github.io/app-conversion/> and click "View in UniView" then the position and name of all characters is shown.

`<name> stripmarker in |<param>= at position n`

[Strip markers](#) are special sequences of characters that [MediaWiki](#) inserts as a place-holder for certain [xml](#)-like tags. These tags include `<gallery>...</gallery>`, `$...$`, `<nowiki>...</nowiki>`, `<pre>...</pre>`, and `<ref>...</ref>`. The strip markers are replaced with content before the final page rendering. The module ignores math and nowiki strip markers.

To resolve strip marker errors, remove or replace the identified tag. The error message identifies the strip marker's position in the parameter value counted from the left. Space characters between the assignment operator (the '=' sign) and the parameter value are not counted.

Strip marker errors can also be caused by unsupported additional text or templates in parameter values [Template:Mdashfor](#) example, `{{ISBN}}` in `|title=`. Resolve the problem by moving the extraneous text outside of the citation template or by removing the extraneous text or template markup, as appropriate.

Pages with this error are automatically placed in [Category:CS1 errors: invisible characters](#).^{[[lower-alpha](#)]}
^{[[lower-alpha](#)]}`<section end=invisible_char_help_text />`

|<param>= requires |doi=[\[edit source\]](#)

`<section begin=doibroken_missing_doi_help_text />`[Template:Help desk](#) |<param>= requires |doi=

When any of `|doi-broken=`, `|doi-broken-date=`, or `|doi-inactive-date=` are used in a cs1|2 template, `|doi=` or `|DOI=` (with value) must also be present.

To resolve this error, either add the missing DOI or remove the 'broken' parameter.

Pages with this error are automatically placed in [Category:CS1 errors: DOI](#).^{[[lower-alpha](#)]}
`<section end=doibroken_missing_doi_help_text />`

|<param>-access= requires |<param>=[\[edit source\]](#)

`<section begin=param_access_requires_param_help_text />Template:Help desk|<param>-access= requires |<param>=`

This error is reported when an access level has been specified for some external link, but the corresponding required parameter is missing or empty. The parameter can be one of

access-level specifier required parameter

specifier	required parameter
url-access=	url=
bibcode-access=	bibcode=
doi-access=	doi=
hdl-access=	hdl=
jstor-access=	jstor=
ol-access=	ol=
osti-access=	osti=

To resolve this error, either provide a value for the parameter, or remove the access level specification.

Pages with this error are automatically placed in [Category:CS1 errors: param-access](#).^{lower-alpha}

¹`<section end=param_access_requires_param_help_text /><section begin=notes_help_text />`

Notes[\[edit source\]](#)

- ↑ 1.00 1.01 1.02 1.03 1.04 1.05 1.06 1.07 1.08 1.09 1.10 1.11 1.12 1.13 1.14 1.15 1.16 1.17 1.18 1.19 1.20 1.21 1.22 1.23 1.24 1.25 1.26 1.27 1.28 1.29 1.30 1.31 1.32 1.33 1.34 1.35 1.36 1.37 1.38 1.39 1.40 1.41 1.42 1.43 1.44 1.45 1.46 1.47 1.48 1.49 1.50 1.51 1.52 1.53 1.54 1.55 1.56 1.57 1.58 Pages in the Book talk, Category talk, Draft talk, Education Program talk, File talk, Help talk, MediaWiki talk, Module talk, Portal talk, Talk, Template talk, User, User talk, and Wikipedia talk namespaces are not included in the error tracking categories.

`<section end=notes_help_text /><section begin=references_help_text />`

References[\[edit source\]](#)

- ↑ 1.0 1.1 "[archive.org website](#)". *Internet Archive*.
- ↑ 2.0 2.1 "[webcitation.org website](#)". *WebCite*.
- ↑ "[Understanding the arXiv identifier](#)". *Cornell University Library*. Retrieved 2014-08-20.
- ↑ "[1.2.3 - Bibliographic Identifiers](#)". *The SAO/NASA Astrophysics Data System*.
- ↑ "[The LCCN Namespace](#)". *Network Development and MARC Standards Office*. [Library of Congress](#). November 2003.
- ↑ "[Netnews Article Format](#)". *Internet Engineering Task Force*. November 2009. [3.1.3](#). [RFC 5536](#).
- ↑ [Template:Citation](#)
- ↑ "["C0 Controls and Basic Latin"](#) (PDF). *Unicode*. Retrieved 2015-04-19.
- ↑ "["C1 Controls and Latin-1 Supplement"](#) (PDF). *Unicode*. Retrieved 2015-04-19.
- ↑ "["Latin Extended-A"](#) (PDF). *Unicode*. Retrieved 2015-04-19.

11. [↑](#) ["Latin Extended-B"](#) (PDF). *Unicode*. Retrieved 2015-04-19.
12. [↑](#) ["Other surname rules"](#). *National Center for Biotechnology Information*. 2018-05-18.
13. [↑](#) Patrias K (2007). ["Names in non-roman alphabets or character-based languages"](#). In Wendling D (ed.). *Citing Medicine: The NLM Style Guide for Authors, Editors, and Publishers [Internet]* (2nd ed.). Bethesda: National Library of Medicine.
14. [↑](#) ["Greek"](#) (PDF). *Library of Congress*.
15. [↑](#) Patrias K (2007). Wendling D (ed.). [Citing Medicine: The NLM Style Guide for Authors, Editors, and Publishers \[Internet\]](#) (2nd ed.). Bethesda, MD: National Library of Medicine (US). Retrieved 2019-03-31.

<section end=references_help_text />



—

—

—

actions taken to prevent or repair the deterioration of water management infrastructure and to keep the physical components of a water management system in such a state that they can serve their intended function.

Project Management Committee

accreted sediment in a river course or estuary, including both lateral (point-bars) and medial (braid-bars). Chars (or sand bars) emerge as islands within the river channel (island chars) or as attached land to the riverbanks (attached chars), create new opportunities for temporary settlements and agriculture.

Retrieved from "https://www.bluegoldwiki.com/index.php?title=Help:CS1_errors&oldid=161"

Namespaces

- [Help page](#)
- [Discussion](#)

Variants

[Categories:](#)

- [Pages with script errors](#)
- [Pages with broken file links](#)
- [Wikipedia how-to](#)

This page was last edited on 18 February 2020, at 14:00.

Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)