

Toggle menu
Blue Gold Program Wiki

Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

Personal tools

- [Log in](#)

personal-extra

Toggle search

Search

Random page

Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

Actions

Module:Category handler/config

From Blue Gold Program Wiki

< [Module:Category handler](#)

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

Documentation for this module may be created at [Module:Category handler/config/doc](#)

```

-----
---
--      [[Module:Category handler]] configuration data
--
--      Language-specific parameter names and values can be set here.
--
--      For blacklist config, see [[Module:Category handler/blacklist]].
--
-----
---

local cfg = {} -- Don't edit this line.

-----
---
--
--      Start configuration data
--
-----
---

-----
---
--
--      Parameter names
--
--      These configuration items specify custom parameter names.
--
--      To add one extra name, you can use this format:
--
--
--      foo = 'parameter name',
--
--
--      To add multiple names, you can use this format:
--
--
--      foo = {'parameter name 1', 'parameter name 2', 'parameter name 3'},
--
-----
---

cfg.parameters = {
    -- The nocat and categories parameter suppress
    -- categorisation. They are used with Module:Yesno, and work as
follows:
    --
    --   cfg.nocat:
    --   Result of yesno()           Effect
    --   true                       Categorisation is

```

```

suppressed
    -- false          Categorisation is
allowed, and
    --                the blacklist check is
skipped
    -- nil           Categorisation is allowed
    --
    -- cfg.categories:
    -- Result of yesno() Effect
    -- true          Categorisation is
allowed, and
    --                the blacklist check is
skipped
    -- false          Categorisation is
suppressed
    -- nil           Categorisation is allowed
    nocat = 'nocat',
    categories = 'categories',
    -- The parameter name for the legacy "category2" parameter. This
skips the
    -- blacklist if set to the cfg.category2Yes value, and suppresses
    -- categorisation if present but equal to anything other than
    -- cfg.category2Yes or cfg.category2Negative.
    category2 = 'category2',
    -- cfg.subpage is the parameter name to specify how to behave on
subpages.
    subpage = 'subpage',
    -- The parameter for data to return in all namespaces.
    all = 'all',
    -- The parameter name for data to return if no data is specified for
the
    -- namespace that is detected.
    other = 'other',
    -- The parameter name used to specify a page other than the current
page;
    -- used for testing and demonstration.
    demopage = 'page',
}

```

```

-----
---
--
--                Parameter values
--
-- These are set values that can be used with certain parameters. Only one
--
-- value can be specified, like this:
--
--
--
--
-- cfg.foo = 'value name'
--
--

```

```
-----  
---  
-- The following settings are used with the cfg.category2 parameter. Setting  
-- cfg.category2 to cfg.category2Yes skips the blacklist, and if  
cfg.category2  
-- is present but equal to anything other than cfg.category2Yes or  
-- cfg.category2Negative then it supresses cateogrisation.  
cfg.category2Yes = 'yes'  
cfg.category2Negative = '-'
```

```
-- The following settings are used with the cfg.subpage parameter.  
-- cfg.subpageNo is the value to specify to not categorise on subpages;  
-- cfg.subpageOnly is the value to specify to only categorise on subpages.  
cfg.subpageNo = 'no'  
cfg.subpageOnly = 'only'
```

```
-----  
---  
--                               Default namespaces  
--
```

```
-- This is a table of namespaces to categorise by default. The keys are the  
-- namespace numbers.  
--
```

```
-----  
---  
cfg.defaultNamespaces = {  
    [ 0] = true, -- main  
    [ 6] = true, -- file  
    [12] = true, -- help  
    [14] = true, -- category  
    [100] = true, -- portal  
    [108] = true, -- book  
}
```

```
-----  
---  
--                               Wrappers  
--
```

```
-- This is a wrapper template or a list of wrapper templates to be passed to  
-- [[Module:Arguments]].  
--
```

```
-----  
---  
cfg.wrappers = 'Template:Category handler'  
-----
```

-- End configuration data
--

return cfg -- Don't edit this line.

Retrieved from

"https://www.bluegoldwiki.com/index.php?title=Module:Category_handler/config&oldid=200"

Namespaces

- [Module](#)
- [Discussion](#)

Variants

This page was last edited on 18 February 2020, at 14:18.

Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)