

Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

Personal tools

- [Log in](#)

personal-extra

Toggle search
Search

Random page

Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

Actions

Module:Ns has subpages

From Blue Gold Program Wiki

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

Documentation for this module may be created at [Module:Ns has subpages/doc](#)

```

-- This module implements [[Template:Ns has subpages]].
-- While the template is fairly simple, this information is made available to
-- Lua directly, so using a module means that we don't have to update the
-- template as new namespaces are added.

local p = {}

function p._main(ns, frame)
    -- Get the current namespace if we were not passed one.
    if not ns then
        ns = mw.title.getCurrentTitle().namespace
    end

    -- Look up the namespace table from mw.site.namespaces. This should
work
    -- for a majority of cases.
    local nsTable = mw.site.namespaces[ns]

    -- Try using string matching to get the namespace from page names.
    -- Do a quick and dirty bad title check to try and make sure we do
the same
    -- thing as {{NAMESPACE}} in most cases.
    if not nsTable and type(ns) == 'string' and not
ns:find('[<>|%[%]{})') then
        local nsStripped = ns:gsub('^[_%s]*:', '')
        nsStripped = nsStripped:gsub('.*$', '')
        nsTable = mw.site.namespaces[nsStripped]
    end

    -- If we still have no match then try the {{NAMESPACE}} parser
function,
    -- which should catch the remainder of cases. Don't use a mw.title
object,
    -- as this would increment the expensive function count for each new
page
    -- tested.
    if not nsTable then
        frame = frame or mw.getCurrentFrame()
        local nsProcessed = frame:callParserFunction('NAMESPACE', ns)
        nsTable = nsProcessed and mw.site.namespaces[nsProcessed]
    end
    return nsTable and nsTable.hasSubpages
end

function p.main(frame)
    local ns = frame:getParent().args[1]
    if ns then
        ns = ns:match('^%s*(.-)%s*$') -- trim whitespace
        ns = tonumber(ns) or ns
    end
    local hasSubpages = p._main(ns, frame)

```

```
        return hasSubpages and 'yes' or ''  
end  
  
return p
```

Retrieved from

"https://www.bluegoldwiki.com/index.php?title=Module:Ns_has_subpages&oldid=222"

Namespaces

- [Module](#)
- [Discussion](#)

Variants

This page was last edited on 18 February 2020, at 14:18.

Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)