

Toggle menu  
Blue Gold Program Wiki

## Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

## Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

## Personal tools

- [Log in](#)

## personal-extra

Toggle search

Search

Random page

## Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

## Actions

# Module:Parameter names example

From Blue Gold Program Wiki

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

*Documentation for this module may be created at [Module:Parameter names example/doc](#)*

```

-- This module implements {{parameter names example}}.

local p = {}

local function makeParam(s)
    local lb = '&#123;'
    local rb = '&#125;'
    return lb:rep(3) .. s .. rb:rep(3)
end

local function italicize(s)
    return "''" .. s .. "''"
end

local function plain(s)
    return s
end

function p._main(args, frame)
    -- Find how we want to format the arguments to the template.
    local formatFunc
    if args._display == 'italics' or args._display == 'italic' then
        formatFunc = italicize
    elseif args._display == 'plain' then
        formatFunc = plain
    else
        formatFunc = makeParam
    end

    -- Build the table of template arguments.
    local targs = {}
    for k, v in pairs(args) do
        if type(k) == 'number' then
            targs[v] = formatFunc(v)
        elseif not k:find('^_') then
            targs[k] = v
        end
    end

    targs['nocat'] = 'yes';
    targs['categories'] = 'no';
    targs['demo'] = 'yes';

    -- Find the template name.
    local template
    if args._template then
        template = args._template
    else
        local currentTitle = mw.title.getCurrentTitle()
        if currentTitle.prefixedText:find('/sandbox$') then
            template = currentTitle.prefixedText
        else

```

```

        template = currentTitle.basePageTitle.prefixedText
    end
end

-- Call the template with the arguments.
frame = frame or mw.getCurrentFrame()
local success, result = pcall(
    frame.expandTemplate,
    frame,
    {title = template, args = targs}
)
if success then
    return result
else
    return ''
end
end

function p.main(frame)
    local args = require('Module:Arguments').getArgs(frame, {
        wrappers = 'Template:Parameter names example'
    })
    return p._main(args, frame)
end

return p

```

Retrieved from

"[https://www.bluegoldwiki.com/index.php?title=Module:Parameter\\_names\\_example&oldid=3598](https://www.bluegoldwiki.com/index.php?title=Module:Parameter_names_example&oldid=3598)"

## Namespaces

- [Module](#)
- [Discussion](#)

## Variants

This page was last edited on 15 November 2020, at 11:23.

## Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)

- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)