

Toggle menu  
Blue Gold Program Wiki

## Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

## Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

## Personal tools

- [Log in](#)

## personal-extra

Toggle search

Search

Random page

## Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

## Actions

# Module:Separated entries

From Blue Gold Program Wiki

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

*Documentation for this module may be created at [Module:Separated entries/doc](#)*

```

-- This module takes positional parameters as input and concatenates them
with
-- an optional separator. The final separator (the "conjunction") can be
-- specified independently, enabling natural-language lists like
-- "foo, bar, baz and qux". The starting parameter can also be specified.

local compressSparseArray = require('Module:TableTools').compressSparseArray
local p = {}

function p._main(args)
    local separator = args.separator
        -- Decode (convert to Unicode) HTML escape sequences, such as
"&#32;" for space.
        and mw.text.decode(args.separator) or ''
    local conjunction = args.conjunction and
mw.text.decode(args.conjunction) or separator
    -- Discard values before the starting parameter.
    local start = tonumber(args.start)
    if start then
        for i = 1, start - 1 do args[i] = nil end
    end
    -- Discard named parameters.
    local values = compressSparseArray(args)
    return mw.text.listToText(values, separator, conjunction)
end

local function makeInvokeFunction(separator, conjunction, first)
    return function (frame)
        local args = require('Module:Arguments').getArgs(frame)
        args.separator = separator or args.separator
        args.conjunction = conjunction or args.conjunction
        args.first = first or args.first
        return p._main(args)
    end
end

p.main = makeInvokeFunction()
p.br = makeInvokeFunction('<br />')
p.comma = makeInvokeFunction(mw.message.new('comma-separator'):plain())

return p

```

Retrieved from

["https://www.bluegoldwiki.com/index.php?title=Module:Separated\\_entries&oldid=2419"](https://www.bluegoldwiki.com/index.php?title=Module:Separated_entries&oldid=2419)

## Namespaces

- [Module](#)
- [Discussion](#)

## Variants

This page was last edited on 26 April 2020, at 05:11.

## Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)