

Toggle menu
Blue Gold Program Wiki

Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

Personal tools

- [Log in](#)

personal-extra

Toggle search

Search

Random page

Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

Actions

Module:Transclusion count

From Blue Gold Program Wiki

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

Documentation for this module may be created at [Module:Transclusion count/doc](#)

```

local p = {}

function p.fetch(frame)
    local template = nil
    local return_value = nil

    -- Use demo parameter if it exists, otherwise use current template
name
    local namespace = mw.title.getCurrentTitle().namespace
    if frame.args["demo"] and frame.args["demo"] ~= "" then
        template = frame.args["demo"]
    elseif namespace == 10 then -- Template namespace
        template = mw.title.getCurrentTitle().text
    elseif namespace == 828 then -- Module namespace
        template = (mw.site.namespaces[828].name .. ":" ..
mw.title.getCurrentTitle().text)
    end

    -- If in template or module namespace, look up count in /data
    if template ~= nil then
        namespace = mw.title.new(template, "Template").namespace
        if namespace == 10 or namespace == 828 then
            template = mw.ustring.gsub(template, "/doc$", "") --
strip /doc from end
            local index =
mw.ustring.sub(mw.title.new(template).text,1,1)
            local status, data = pcall(function ()
return(mw.loadData('Module:Transclusion_count/data/' ..
(mw.ustring.find(index, "%a") and index or "other")))
            end)
            if status then
                return_value =
tonumber(data[mw.ustring.gsub(template, " ", "_")])
            end
        end
    end

    -- If database value doesn't exist, use value passed to template
    if return_value == nil and frame.args[1] ~= nil then
        local arg1=mw.ustring.match(frame.args[1], '[%d,]+')
        if arg1 and arg1 ~= '' then
            return_value =
tonumber(frame:callParserFunction('formatnum', arg1, 'R'))
        end
    end

    return return_value
end

return p

```

Retrieved from

["https://www.bluegoldwiki.com/index.php?title=Module:Transclusion_count&oldid=5895"](https://www.bluegoldwiki.com/index.php?title=Module:Transclusion_count&oldid=5895)

Namespaces

- [Module](#)
- [Discussion](#)

Variants

This page was last edited on 16 September 2021, at 03:57.

Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)