

Toggle menu
Blue Gold Program Wiki

Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

Personal tools

- [Log in](#)

personal-extra

Toggle search

Search

Random page

Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

Actions

Template:Box-header/doc

From Blue Gold Program Wiki

< [Template:Box-header](#)

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

This is a [documentation subpage](#) for [Template:Box-header](#).

[40px](#) It contains usage information, [categories](#) and other content that is not part of the original template page.

This template is used on [approximately 5,400 pages](#) and changes may be widely noticed. [40px](#) Test changes in the template's [/sandbox](#) or [/testcases](#) subpages, or in your own [user subpage](#). Consider discussing changes on the [talk page](#) before implementing them.

[30px](#) This template uses [Lua](#):
• [Module:Box-header](#)

Usage

A template standardizing the portal templates and for other purposes. If used for other purposes, note that if the TOC and EDIT parameters are missing or not set to yes, the table of contents and all section editing will be suppressed.

Syntax

The template is not a stand-alone template and so once the box header is typed or pasted the template [Box-footer](#) must immediately [follow](#) it.

This example assumes that you have a separate page containing the content, and transclude it onto the page.

```
{{Box-header
| title=
| editpage= <!-- This data must be the same -->
| noedit=
| titleforeground=
| titlebackground=
| background=
| viewpage= <!-- This data must be the same -->
}}
```

```
{{ <!-- This data must be the same --> }}
```

```
{{Box-footer | text }}
```

This example assumes that the content is entered between the header and footer. Notice that viewpage is not in there. It will not work because it links to the page you are on, and therefore Wikipedia does not link it.

```
{{Box-header
| title=
| editpage= <!-- This field must be the same as the name of the page it is
on. -->
| titleforeground=
| titlebackground=
| background=
}}
```

Box Content

```
{{Box-footer | text }}
```

Sample

```
{{Box-header
| title= The Quotes of Quotes
| editpage= Box-header/sample
| titleforeground= white
| titlebackground= red
| background= white
}}
```

```
{{Box-header/sample}}
```

```
{{Box-footer| [[William Shakespeare|more...]] }}
```

edit The Quotes of Quotes
<p>Doubt thou the stars are fire. Doubt that the sun doth move. Doubt truth to be a liar. But never doubt my love.</p> <p>— <i>William Shakespeare</i></p> <p style="text-align: right;">more...</p>

Primary parameters

- **editpage** - by default, the "edit" link applies to the page named [Template:Box-header/doc/](#). Use this parameter to specify a different page to edit. This will normally be the page where the `{{Box-header}}` is used.
- **noedit** - by default, an "edit" link is shown towards the right-hand side. Specify `|noedit=yes` (or any non-blank value) to hide this. The "edit" link is also hidden if `|EDITLINK=` is non-blank.
- **section** - by default, the "edit" link applies to the whole page. Use this parameter to specify the number of a specific section, e.g. `|section=2`
- **title** - the title of the box, for example `|title=Portals`
- **top** - extra text to display after the "edit" and "view" links. Hidden if `|EDITLINK=` is non-blank.
- **viewpage** - if non-blank, this should be a valid Wikipedia page name, it creates a "view" link after the "edit" link. Hidden if `|EDITLINK=` is non-blank.

Behaviour options

- **EDIT** - by default, all section edit links are suppressed. Set `|EDIT=yes` (or any non-blank value) to override this.
- **EDITLINK** - set `|EDITLINK=no` (or any non-blank value) to hide the "edit" and "view" links, and the text after those
- **SPAN** - by default, the box title is enclosed in `<h2> . . . </h2>` tags. Set `|SPAN=yes` (or any non-blank value) to use ` . . . ` tags instead.
- **TOC** - by default, the table of contents is suppressed. Set `|TOC=yes` (or any non-blank value) to override this.

Styling options

- **background** -
- **background-opacity** -
- **border** -
- **border-top** -
- **border-type** -
- **border-width** -
- **extra** -
- **font-family** -
- **font-size** -
- **foreground** -
- **padding** -
- **padding-top** -
- **padding-left** -
- **padding-right** -
- **padding-bottom** -
- **text-align** -
- **title-align** -
- **titlebackground** -
- **titleborder** -
- **title-font-family** -
- **title-font-size** -
- **titlefont-size** -
- **title-font-weight** -
- **titleforeground** -
- **title-border-radius** -
- **border-radius** -

These are all used to set CSS styling properties, in many cases the property of the same name - for instance, |background= is used to set [the 'background' property](#).

See also

- [{{Box-footer}}](#)

Tracking categories

Colour combinations with poor [accessibility](#) (i.e. that are not [MOS:COLOR](#)-compliant) are tracked in the following categories:

- [Category:Box-header with insufficient title contrast](#)
- [Category:Box-header with insufficient body contrast](#)

Box-header color palettes

The following box-headers are examples of [HSV](#) color palettes arranged by [hue](#). They can be copied to your portal's /box-header subpage, or used directly on the portal page (preferred). Note that the second parameter for the edit link is optional; if not defined then no link will be displayed.

Border: Hn/S15/V75 • Background: Hn/S4/V100 • Header 1: Hn/S40/V85 • Header 2: Hn/S15/V95 • Header 3: Hn/S10/V100

H0

[Template:Box-header/1](#)

[nil edit] {{{1}}}

[Template:Box-header/2](#)

[nil edit] {{{1}}}

[Template:Box-header/3](#)

[nil edit] {{{1}}}

H30

[Template:Box-header/4](#)

[nil edit] {{{1}}}

[Template:Box-header/5](#)

[nil edit] {{{1}}}

[Template:Box-header/6](#)

[nil edit] {{{1}}}

H60

Border: H60/S15/V75 • Background: H60/S4/V100 • Header 1: H60/S40/V100 • Header 2:

H60/S15/V100 • Header 3: H60/S10/V100

[Template:Box-header/7](#)

<div style="text-align: center;">[nil edit] {{{1}}}</div>

[Template:Box-header/8](#)

<div style="text-align: center;">[nil edit] {{{1}}}</div>

[Template:Box-header/9](#)

<div style="text-align: center;">[nil edit] {{{1}}}</div>

H60

[Template:Box-header/10](#)

<div style="text-align: center;">[nil edit] {{{1}}}</div>

[Template:Box-header/11](#)

<div style="text-align: center;">[nil edit] {{{1}}}</div>

[Template:Box-header/12](#)

<div style="text-align: center;">[nil edit] {{{1}}}</div>

H90

[Template:Box-header/13](#)

<div style="text-align: center;">[nil edit] {{{1}}}</div>

[Template:Box-header/14](#)

[nil edit]
{{{1}}}

[Template:Box-header/15](#)

[nil edit]
{{{1}}}

H120

[Template:Box-header/16](#)

[nil edit]
{{{1}}}

[Template:Box-header/17](#)

[nil edit]
{{{1}}}

[Template:Box-header/18](#)

[nil edit]
{{{1}}}

H150

[Template:Box-header/19](#)

[nil edit]
{{{1}}}

[Template:Box-header/20](#)

[nil edit]
{{{1}}}




[Template:Box-header/21](#)



H180

[Template:Box-header/22W](#)



[Template:Box-header/22](#)



[Template:Box-header/23](#)



[Template:Box-header/24](#)




H210

[Template:Box-header/25](#)



[Template:Box-header/26](#)



[Template:Box-header/27](#)

[nil edit]
{{{1}}}

H240

[Template:Box-header/28W](#)

[nil edit]
{{{1}}}

[Template:Box-header/28](#)

[nil edit]
{{{1}}}

[Template:Box-header/29](#)

[nil edit]
{{{1}}}

[Template:Box-header/30](#)

[nil edit]
{{{1}}}

H270

[Template:Box-header/31](#)

[nil edit]
{{{1}}}

[Template:Box-header/32](#)

[nil edit]
{{{1}}}

--

[Template:Box-header/33](#)

[nil edit] {{{1}}}

H300

[Template:Box-header/34](#)

[nil edit] {{{1}}}

[Template:Box-header/35](#)

[nil edit] {{{1}}}

[Template:Box-header/36](#)

[nil edit] {{{1}}}

H330

[Template:Box-header/37](#)

[nil edit] {{{1}}}

[Template:Box-header/38](#)

[nil edit] {{{1}}}

[Template:Box-header/39](#)

[nil edit] {{{1}}}



H0 S0

Border: H0/S0/V75 • Background: H0/S0/V100 • Header 1: H0/S0/V75 • Header 2: H0/S0/V85 • Header 3: H0/S0/V95

[Template:Box-header/40W](#)

[nil edit] {{{1}}}

[Template:Box-header/40](#)

[nil edit] {{{1}}}

[Template:Box-header/41](#)

[nil edit] {{{1}}}

[Template:Box-header/42](#)

[nil edit] {{{1}}}

TemplateData

This is the [TemplateData](#) for this template used by [TemplateWizard](#), [VisualEditor](#) and other tools. [Click here](#) to see a monthly parameter usage report for this template based on this TemplateData.

TemplateData for Box-header

No description.

Template parameters

	Parameter	Description	Type	Status
	Border-type	border-type	no description	Unknown optional
	Titleborder	titleborder	no description	Unknown optional
	Border	border	no description	Unknown optional
	Border-top	border-top	no description	Unknown optional
	Border-width	border-width	no description	Unknown optional
	Titlebackground	titlebackground	no description	Unknown optional
	Titleforeground	titleforeground	no description	Unknown optional
	Padding	padding	no description	Unknown optional
	Padding-top	padding-top	no description	Unknown optional
	Padding-left	padding-left	no description	Unknown optional
	Padding-right	padding-right	no description	Unknown optional
	Padding-bottom	padding-bottom	no description	Unknown optional
	Title-align	title-align	no description	Unknown optional
	Font-family	font-family	no description	Unknown optional
	Titlefont-size	titlefont-size	no description	Unknown optional
	EDITLINK	EDITLINK	no description	Unknown optional
	Font-size	font-size	no description	Unknown optional
	Noedit	noedit	no description	Unknown optional
	Editpage	editpage	no description	Unknown optional
	Section	section	no description	Unknown optional
	Viewpage	viewpage	no description	Unknown optional
	Top	top	no description	Unknown optional
	SPAN	SPAN	no description	Unknown optional
	Title-font-family	title-font-family	no description	Unknown optional
	Title-font-size	title-font-size	no description	Unknown optional
	Title-font-weight	title-font-weight	no description	Unknown optional
	Extra	extra	no description	Unknown optional
	Title	title	no description	Unknown required
	Background	background	no description	Unknown optional
	Background-opacity	background-opacity	no description	Unknown optional
	Foreground	foreground	no description	Unknown optional
	Text-align	text-align	no description	Unknown optional
	TOC	TOC	no description	Unknown optional
	EDIT	EDIT	no description	Unknown optional
	Title's border radius	title-border-radius	Example 1.5em 1.5em 0 0	String optional
	Content's border radius	border-radius	Example 0 0 1.5em 1.5em	String optional

See also

This box:

- [view](#)
- [talk](#)
- [edit](#)

Main portal creation templates

- `{{Basic portal start page}}` (deleted)—Used to create portal main pages.
- `{{Random portal component}}`—Used on the portal main page to randomly display articles from the portal sub-pages.
- `{{Random subpage}}`—Used on the portal main page to randomly display articles from the portal sub-pages. This template is best used for creating randomly populated *Did you know...* sections on the portal main page that are intended to include multiple *Did you know...* facts.
- `{{Portal subpage}}`—Used to output a box containing a link to subpage.
- `{{Numbered subpages}}`—Used to create article links on portal sub-pages.
- `{{Random box-header subpage}}`—Used to transclude a numbered subpage.

Main portal page formatting templates


- `{{Box-header}}`
- `{{Box-header-plain}}`
- `{{Box-header-round}}`
- `{{Box-header-square}}`
- `{{Box-header-watch}}`
- `{{Box-footer}}`

Templates that configure links

- `{{Portal}}`
- `{{Portal bar}}`
- `{{Portal-inline}}`
- `{{Portals}}`
- `{{Portal-image}}`
- `{{Portals browsebar}}`
- `{{Related portals}}`
- `{{Related portals2}}`
- `{{Wikimedia for portals}}`

Related templates

- `{{Project template list}}`



Retrieved from

"<https://www.bluegoldwiki.com/index.php?title=Template:Box-header/doc&oldid=2391>"

Namespaces

- [Template](#)
- [Discussion](#)

Variants

Categories:

- [Pages with broken file links](#)
- [Template documentation pages](#)
- [Box-header with insufficient title contrast](#)

This page was last edited on 26 April 2020, at 05:11.

Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)