

Toggle menu
Blue Gold Program Wiki

Navigation

- [Main page](#)
- [Recent changes](#)
- [Random page](#)
- [Help about MediaWiki](#)

Tools

- [What links here](#)
- [Related changes](#)
- [Special pages](#)
- [Permanent link](#)
- [Page information](#)

Personal tools

- [Log in](#)

personal-extra

Toggle search

Search

Random page

Views

- [View](#)
- [View source](#)
- [History](#)
- [PDF Export](#)

Actions

Template:Cite thesis/doc

From Blue Gold Program Wiki

< [Template:Cite thesis](#)

The printable version is no longer supported and may have rendering errors. Please update your browser bookmarks and please use the default browser print function instead.

This is a [documentation subpage](#) for [Template:Cite thesis](#).

[40px](#) It contains usage information, [categories](#) and other content that is not part of the original template page.

30px This template uses [Lua](#):
• [Module:Citation/CS1](#)

[Citation Style 1](#) templates

<code>{{Cite arXiv}}</code>	arXiv preprints
<code>{{Cite AV media}}</code>	audio and visual
<code>{{Cite AV media notes}}</code>	audio and visual liner notes
<code>{{Cite bioRxiv}}</code>	bioRxiv preprints
<code>{{Cite book}}</code>	books
<code>{{Cite citeseerx}}</code>	scientific and academic papers
<code>{{Cite conference}}</code>	conference papers
<code>{{Cite encyclopedia}}</code>	edited collections
<code>{{Cite episode}}</code>	radio or television episodes
<code>{{Cite interview}}</code>	interviews
<code>{{Cite journal}}</code>	academic journals and papers
<code>{{Cite magazine}}</code>	magazines, periodicals
<code>{{Cite mailing list}}</code>	public mailing lists
<code>{{Cite map}}</code>	maps
<code>{{Cite news}}</code>	news articles
<code>{{Cite newsgroup}}</code>	online newsgroups
<code>{{Cite podcast}}</code>	podcasts
<code>{{Cite press release}}</code>	press releases
<code>{{Cite report}}</code>	reports
<code>{{Cite serial}}</code>	audio or video serials
<code>{{Cite sign}}</code>	signs, plaques
<code>{{Cite speech}}</code>	speeches
<code>{{Cite ssrn}}</code>	articles with SSRN identifiers
<code>{{Cite techreport}}</code>	technical reports
<code>{{Cite thesis}}</code>	theses
<code>{{Cite web}}</code>	web sources not covered by the above

See also:

- [v](#)
- [t](#)
- [e](#)

This [Citation Style 1](#) template is used to create [citations](#) for [theses or dissertations](#) submitted to and approved by an educational institution recognized as capable of awarding higher degrees.

□

Contents

- [1 Usage](#)
 - [1.1 Examples](#)
- [2 Parameters](#)
 - [2.1 Syntax](#)
 - [2.2 COinS](#)
 - [2.2.1 COinS metadata is created for these parameters](#)
 - [2.3 Deprecated](#)
 - [2.4 Description](#)
 - [2.4.1 Authors](#)
 - [2.4.2 Title](#)
 - [2.4.3 Date](#)
 - [2.4.4 Publisher](#)
 - [2.4.5 Edition, series, volume](#)
 - [2.4.6 In-source locations](#)
 - [2.4.7 URL](#)
 - [2.4.8 Anchor](#)
 - [2.4.9 Identifiers](#)
 - [2.4.10 Quote](#)
 - [2.4.11 Editors](#)
 - [2.4.12 Laysummary](#)
 - [2.4.13 Display options](#)
- [3 TemplateData](#)

Usage[[edit source](#)]

Copy a blank version to use. All parameter names must be in lowercase. Use the "|" (pipe) character between each parameter. Delete unused parameters to avoid clutter in the edit window. Some samples may include the current date. If the date is not current, then [purge](#) the page.

Horizontal format:

```
{{cite thesis |last= |first= |date= |title= |type= |chapter= |publisher= |docket= |oclc= |url= |access-date=}}
```

Examples[[edit source](#)]

```
{{cite thesis |type=PhD |last=Ducklover |first=Arnold A. |date=1901 |title=On some aspects of Ducks |publisher=Duck University}}
```

- Ducklover, Arnold A. (1901). *On some aspects of Ducks* (PhD). Duck University.

```
{{cite thesis |type=MSc |last=Ducklover |first=Arnold A. |date=1901 |title=On some aspects of Ducks |publisher=Duck University}}
```

- Ducklover, Arnold A. (1901). *On some aspects of Ducks* (MSc). Duck University.

```
{{cite thesis |last=Ducklover |first=Arnold A. |date=1901 |title=On some aspects of Ducks |publisher=Duck University}}
```


- `|publisher=`, `|distributor=`, `|institution=`
- `|url=`, `|chapter-url=`, `|chapterurl=`, `|contribution-url=`, `|contributionurl=`, `|section-url=`, `|sectionurl=`
- `|author#=`, `|author-last#=`, `|author#-last=`, `|last#=`, `|surname#=`
- `|author-first#=`, `|author#-first=`, `|first#=`, `|given#=`
- any of the named identifiers: `|isbn=`, `|issn=`, `|doi=`, `|pmc=`, etc.

Deprecated[\[edit source\]](#)

{{#lst:Help:CS1 errors|deprecated_params_table}}

Description[\[edit source\]](#)

Authors[\[edit source\]](#)

- **last**: Surname of a single author. Do not wikilink—use **author-link** instead. For corporate authors or authors for whom only one name is listed by the source, use **last** or one of its aliases (e.g. `|author=Bono`). Aliases: **surname**, **author**, **last1**, **surname1**, **author1**.
 - **author**: this parameter is used to hold the complete name of a single author (first and last) or to hold the name of a corporate author. This parameter should never hold the names of more than one author. Do not wikilink—use **author-link** instead.
 - **first**: Given or first names of author; for example: *Firstname Middlename* or *Firstname M.* or *Firstname M., Sr.* Do not wikilink—use **author-link** instead. Aliases: **given**, **first1**, **given1**. Requires **last**; first name will not display if **last** is empty.
 - OR: for multiple authors, use **last1**, **first1** through **lastn**, **firstn**, where *n* is any consecutive number for an unlimited number of authors (each **firstn** requires a corresponding **lastn**, but not the other way around). See the **display** parameters to change how many authors are displayed. Aliases: **surname1**, **given1** through **surnamen**, **givenn**, or **author1** through **authorn**. For an individual author plus an institutional author, you can use `|first1=...|last1=...|author2=...`
 - **author-link**: Title of existing Wikipedia article about the author—not the author's website; do not wikilink. Aliases: **author-link1**, **authorlink**, **authorlink1**, **author1-link**, **author1link**.
 - OR: for multiple authors, use **author-link1** through **author-linkn**. Aliases: **authorlink1** through **authorlinkn**, or **author1-link** through **authorn-link**, or **author1link** through **authornlink**.
 - **name-list-format**: displays authors and editors in [Vancouver style](#) when set to `vanc` and when the list uses `last/first` parameters for the name list(s).
- **vauthors**: comma-separated list of author names in [Vancouver style](#); enclose corporate or institutional author names in doubled parentheses:

```
|vauthors=Smythe JB, ((Megabux Corp.))
```

- **author-link** and **author-mask** may be used for the individual names in `|vauthors=` as described above
- **authors**: Free-form list of author names; use of this parameter is discouraged because it does not contribute to a citation's metadata; not an alias of **last**.
- **translator-last**: Surname of translator. Do not wikilink—use **translator-link** instead. Aliases: **translator-surname**, **translator1**, **translator1-last**, **translator-last1**.
 - **translator-first**: Given or first names of translator. Do not wikilink—use **translator-link** instead. Aliases: **translator-given**, **translator1-first**, **translator-first1**.

- OR: for multiple translators, use **translator-last1**, **translator-first1** through **translator-lastn**, **translator-firstn**, where *n* is any consecutive number for an unlimited number of translators (each **translator-firstn** requires a corresponding **translator-lastn**, but not the other way around). Aliases: **translator1-last**, **translator1-first** through **translatorn-last**, **translatorn-first**, or **translator1** through **translatorn**.
- **translator-link**: Title of existing Wikipedia article about the translator—not the translator's website; do not wikilink. Aliases: **translator-link1**, **translator1-link**.
- OR: for multiple translators, use **translator-link1** through **translator-linkn**. Aliases: **translator1-link** through **translatorn-link**.
- **collaboration**: Name of a group of authors or collaborators; requires **author**, **last**, or **vauthors** listing one or more primary authors; follows author name-list; appends "et al." to author name-list.
- **others**: To record other contributors to the work, including illustrators. For the parameter value, write *Illustrated by John Smith*.
- Note: When using [shortened footnotes](#) or [parenthetical referencing](#) styles with templates, do not use multiple names in one field, or else the anchor will not match the inline link.

Title[[edit source](#)]

(See also [Help:Citation Style 1 § Titles and chapters](#).)

- **title**: Title of source. Can be wikilinked to an existing Wikipedia article or **url** may be used to add an external link, but not both. Displays in italics. If **script-title** is defined, **title** holds a [Romanization](#) of title in **script-title**.
 - **script-title**: Original title for languages that do not use a Latin-based script (Arabic, Chinese, Cyrillic, Greek, Hebrew, Japanese, Korean, etc); not italicized, follows italicized Romanization defined in **title**. May be prefixed with an [ISO 639-1](#) two-character code to help browsers properly display the script:

```
... |title=Tōkyō tawā |script-title=ja:東京都タワー |trans-title=Tokyo Tower ...
```
 - **trans-title**: English translation of the title if the source cited is in a foreign language. Displays in square brackets after **title**; if **url** is defined, then **trans-title** is included in the link. Use of the **language** parameter is recommended.

Titles containing certain characters will not display and link correctly unless those characters are encoded.

```

newline   [           ]           |
space      &#91; &#93;           {{{!}}} (preferred)
           {{{bracket|text}}} &#124; or {{{pipe}}} - see also Help:Table § Rendering the pipe

```

- **title-link**: Title of existing Wikipedia article about the source named in **title** - do not use a web address; do not wikilink. Alias: **titlelink**.

- **chapter**: The chapter heading of the source. May be wikilinked or may use **chapter-url**, but not both. Displays in quotes.
 - **script-chapter**: Chapter heading for languages that do not use a Latin-based script (Arabic, Chinese, Cyrillic, Greek, Hebrew, Japanese, Korean, etc); follows [Romanization](#) defined in **chapter**. Should be prefixed with an [ISO 639-1](#) two-character code to help browsers properly display the script:

```
... |chapter=Tōkyō tawā |script-chapter=ja:東京都 |trans-
chapter=Tokyo Tower ...
```

- **trans-chapter**: English translation of the chapter heading, if the source cited is in a foreign language. Displays in square brackets after the **chapter** field; if **chapter-url** is defined, then **trans-chapter** is included in the link. Use of the **language** parameter is recommended.
- **contribution**: A separately-authored part of **author**'s book. May be wikilinked or may use **contribution-url**, but not both. Values of Afterword, Foreword, Introduction, or Preface will display unquoted; any other value will display in quotation marks. The author of the contribution is given in **contributor**.
- **type**: Provides additional information about the media type of the source. May alternatively be used to identify the type of manuscript linked to in the title, if this is not the final version of a manuscript (e.g. if a preprint of a manuscript is freely available, but the version of record is behind a paywall). Format in sentence case. Displays in parentheses following the title. Defaults to Thesis. Alias: **medium**, **degree**.
- **language**: A comma-separated list of the languages in which the source is written, as either the full language name or the [ISO 639](#) language code , e.g. |language=French or |language=fr, pt-br. [See the list of supported codes and names](#). Do not use templates or wikilinks. Displays in parentheses with "in" before the language name or names. When the only source language is English, no language is displayed in the citation; use of the parameter in this case is discouraged. The use of languages recognized by the citation module adds the page to the appropriate subcategory of [Category:CS1 foreign language sources](#). Aliases: **lang**

Date[[edit source](#)]

- **date**: Date of source being referenced. Can be full date (day, month, and year) or partial date (month and year, season and year, or year). Use same format as other publication dates in the citations.^{[[date 1](#)]} Required when **year** is used to disambiguate {{sfn}} links to multiple-work citations by the same author in the same year.^{[[more](#)]} Do not wikilink. Displays after the authors and is enclosed in parentheses. If there is no author, then displays after publisher. For acceptable date formats, see [Help:Citation Style 1 § Dates](#).

For approximate year, precede with "c. ", like this: |date=c. 1900.

For no date, or "undated", use |date=n.d.

Automatic date formatting: [Citation Style 1](#) and [2](#) templates, including this template, automatically render dates in date parameters (|date=, |access-date=, |archive-date=, etc.) in the style specified by the article's {{use dmy dates}} or {{use mdy dates}}

template. See those templates' documentation for details.

- **year**: Year of source being referenced. Use of `|date=` is recommended unless *all* of the following conditions are met:
 1. The `|date=` format is YYYY-MM-DD.
 2. The citation requires a [CITEREF disambiguator](#).
 3. The template uses `|ref=harv` or `|mode=cs2`, or the template is `{{citation}}`.
- **orig-year**: Original publication year; displays in square brackets after the **date** (or **year**). For clarity, please supply specifics. For example: `|orig-year=First published 1859` or `|orig-year=Composed 1904`. Alias: **origyear**
- **df**: date format; sets rendered dates to the specified format; does not support date ranges or seasonal dates; overrides the automatic date formatting described above. Accepts one value which may be one of these:

`dmy` - set publication dates to day month year format; access- and archive-dates are not modified;

`mdy` - as above for month day, year format

`ymd` - as above for year initial numeric format YYYY-MM-DD

`dmy-all` - set publication, access-, and archive-dates to day month year format;

`mdy-all` - as above for month day, year format

`ymd-all` - as above for year initial numeric format YYYY-MM-DD

1. [↑](#) Publication dates in references within an article should all have the same format. This may be a different format from that used for archive and access dates. See [MOS:DATEUNIFY](#).

Publisher[\[edit source\]](#)

- **publisher**: Name of publisher; may be wikilinked if relevant. The [publisher](#) is the *company* that publishes the work being cited. Do *not* use the **publisher** parameter for the name of a work (e.g. a website, book, encyclopedia, newspaper, magazine, journal, etc.). Corporate designations such as "Ltd", "Inc.", or "GmbH" are not usually included. Not normally used for periodicals. Omit where the publisher's name is substantially the same as the name of the work (for example, The New York Times Co. publishes *The New York Times* newspaper, so there is no reason to name the publisher). Displays after **title**.
- **place**: For news stories with a [dateline](#), that is, the location where the story was written. In earlier versions of the template this was the publication place, and for compatibility, will be treated as the publication place if the `publication-place` parameter is absent; see that parameter for further information. Alias: **location**
- **publication-place**: Geographical place of publication; generally not wikilinked; omit when the name of the work includes the publication place; examples: *The Boston Globe*, *The Times of India*. Displays after the title. If only one of **publication-place**, **place**, or **location** is defined, it will be treated as the publication place and will show after the title; if **publication-place** and **place** or **location** are defined, then **place** or **location** is shown before the title prefixed with "written at" and **publication-place** is shown after the title.
- **publication-date**: Date of publication when different from the date the work was written. Displays only if **year** or **date** are defined and only if different, else **publication-date** is used and displayed as **date**. Use the same format as other dates in the article; do not wikilink. Follows **publisher**; if **work** is not defined, then **publication-date** is preceded by "published"

and enclosed in parenthesis.

- **via**: Name of the content deliverer (if *different* from **publisher**). **via** is not a replacement for **publisher**, but provides additional detail. It may be used when the content deliverer presents the source in a format other than the original (e.g. [NewsBank](#)), when the URL provided does not make clear the identity of the deliverer, where no URL or DOI is available (EBSCO), or if the deliverer requests attribution. See the [access level](#) parameters to display access restrictions.

Edition, series, volume[\[edit source\]](#)

- **edition**: When the publication has more than one edition; for example: "2nd", "Revised", and so forth. Appends the string " ed." after the field, so `|edition=2nd` produces "2nd ed." Does not display if a periodical field is defined.
- **series** or **version**: When the source is part of a series, such as a book series or a journal where the issue numbering has restarted.
- **volume**: For one publication published in several volumes. Displays after the **title** and **series** fields; volume numbers should be entered just as a numeral (e.g. 37); volume values that are wholly digits, wholly uppercase roman numerals, or less than five characters will appear in bold. Any non-numeric value of five or more characters will be presumed to follow some other convention and will not appear in bold.

In-source locations[\[edit source\]](#)

- **page**: The number of a single page in the source that supports the content. Use either `|page=` or `|pages=`, but not both. Displays preceded by `<syntaxhighlight lang="text" class="" id="" style="" inline="1">p.</syntaxhighlight>` unless `|nopp=y`. If hyphenated, use `{{hyphen}}` to indicate this is intentional (e.g. `|page=3{{hyphen}}12`), otherwise several editors and semi-automated tools will assume this was a misuse of the parameter to indicate a page range and will convert `|page=3-12` to `|pages=3{{ndash}}12`.
- OR: **pages**: A range of pages in the source that supports the content. Use either `|page=` or `|pages=`, but not both. Separate using an en dash (-); separate non-sequential pages with a comma (,); do not use to indicate the total number of pages in the source. Displays preceded by `<syntaxhighlight lang="text" class="" id="" style="" inline="1">pp.</syntaxhighlight>` unless `|nopp=y`.
Hyphens are automatically converted to en dashes; if hyphens are appropriate because individual page numbers contain hyphens, for example: pp. 3-1-3-15, use double parentheses to tell the template to display the value of `|pages=` without processing it, and use `{{hyphen}}` to indicate to editors that a hyphen is really intended:
`|pages=((3{{hyphen}}1{{ndash}}3{{hyphen}}15))`. Alternatively, use `|at=`, like this:
`|at=pp. 3-1–3-15`.
 - **nopp**: Set to *y*, *yes*, or *true* to suppress the `<syntaxhighlight lang="text" class="" id="" style="" inline="1">p.</syntaxhighlight>` or `<syntaxhighlight lang="text" class="" id="" style="" inline="1">pp.</syntaxhighlight>` notations where this is inappropriate; for example, where `|page=Front cover` or `|pages=passim`.
- OR: **at**: For sources where a page number is inappropriate or insufficient. Overridden by `|page=` or `|pages=`. Use only one of `|page=`, `|pages=`, or `|at=`.

Examples: page (p.) or pages (pp.); section (sec.), column (col.), paragraph (para.); track; hours, minutes and seconds; act, scene, canto, book, part, folio, stanza, back cover, liner notes, indicia, colophon, dust jacket, verse.

URL[[edit source](#)]

- **url**: URL of an online location where the text of the publication named by **title** can be found. Cannot be used if **title** is wikilinked. If applicable, the link may point to the specific page(s) referenced. Remove tracking parameters from URLs, e.g. #ixzz2rBr3a094 or ?utm_source=google&utm_medium=...&utm_term=...&utm_campaign=... For linking to pages in PDF files or in Google Books, see [WP:PAGELINKS](#). Do not link to any commercial booksellers, such as Amazon.com; use |ISBN= or |OCLC= to provide neutral search links for books. Invalid URLs, including those containing spaces, will result in an error message.
 - **access-date**: Full date when the content pointed to by **url** was last verified to support the text in the article; do not wikilink; requires **url**; use the same format as other access and archive dates in the citations.^{[[date 1](#)]} *Not required for linked documents that do not change*. For example, **access-date** is required for online sources, such as personal websites, that do not have a publication date; see [WP:CITWEB](#). Access dates are not required for links to published research papers, published books, or news articles with publication dates. Note that **access-date** is the date that the URL was found to be working and to support the text being cited. See "[Automatic date formatting](#)" above for details about interaction with {{[use dmy dates](#)}} and {{[use mdy dates](#)}}. Can be [hidden or styled](#) by registered editors. Alias: **accessdate**.
 - **archive-url**: The URL of an [archived](#) snapshot of a web page. Typically used to refer to services such as [Internet Archive](#) (see [Wikipedia:Using the Wayback Machine](#)), [WebCite](#) (see [Wikipedia:Using WebCite](#)) and [archive.is](#) (see [Wikipedia:Using archive.is](#)); requires **archive-date** and **url**. By default (overridden by |url-status=live) the archived link is displayed first, with the original link at the end. Alias: **archiveurl**.
 - **archive-date**: Archive-service snapshot-date; preceded in display by default text "archived from the original on". Use the same format as other access and archive dates in the citations. This does not necessarily have to be the same format that was used for citing publication dates.^{[[date 1](#)]} Do not wikilink; templated dates are discouraged. See "[Automatic date formatting](#)" above for details about interaction with {{[use dmy dates](#)}} and {{[use mdy dates](#)}}. Alias: **archivedate**.
 - **url-status**: this optional parameter is ignored if **archive-url** is not set. If omitted, or with null value, the default value is |url-status=dead. When the URL is still live, but pre-emptively archived, then set |url-status=live; this changes the display order, with the title retaining the original link and the archive linked at the end. When the original URL has been usurped for the purposes of spam, advertising, or is otherwise unsuitable, setting |url-status=unfit or |url-status=usurped suppresses display of the original URL (but |url= and |archive-url= are still required).
 - **template-doc-demo**: The archive parameters will be error-checked to ensure that all the required parameters are included, or else {{[citation error](#)}} is invoked. With errors, main, help and template pages are placed into one of the subcategories of [Category:Articles with incorrect citation syntax](#). Set |template-doc-demo=true to disable categorization; mainly used for documentation where the error is demonstrated. Alias: **no-cat**.
- **format**: Format of the work referred to by **url**; for example: PDF, DOC, or XLS; displayed in parentheses after **title**. (For media format, use **type**.) HTML is implied and should not be specified. Automatically added when a PDF icon is displayed. Does not change the [external link icon](#). Note: External link icons do not include [alt text](#); thus, they do not add format information for the visually impaired.

URLs must begin with a supported [URI scheme](#). http:// and https:// will be supported by all

browsers; however, `ftp://`, `gopher://`, `irc://`, `ircs://`, `mailto:` and `news:` may require a plug-in or an external application and should normally be avoided. [IPv6](#) host-names are currently not supported.

If URLs in [citation template parameters](#) contain certain characters, then they will not display and link correctly. Those characters need to be [percent-encoded](#). For example, a space must be replaced by `%20`. To encode the URL, replace the following characters with:

```
sp " ' < > [ ] { | }
%20 %22 %27 %3c %3e %5b %5d %7b %7c %7d
```

Single apostrophes do not need to be encoded; however, unencoded multiples will be parsed as italic or bold markup. Single curly closing braces also do not need to be encoded; however, an unencoded pair will be parsed as the double closing braces for the template transclusion.

- [↑] ¹ ⁰ ¹ Access-date and archive-date in references should all have the same format - either the format used for publication dates, or YYYY-MM-DD. See [MOS:DATEUNIFY](#).

Anchor[\[edit source\]](#)

- ref**: the citation's HTML anchor identifier. When set, `|ref=ID` generates an anchor with the given *ID* (the `id` attribute in the citation's `<cite id="ID">` HTML tag). Setting `|ref=ID` identifies the template as a target and allows [wikilinking to full references](#), especially useful with short-form citations like [shortened notes](#) and [parenthetical referencing](#). The special value `|ref=harv` generates an anchor identifier suitable for use with `{{sfn}}` and `{{harv}}` templates. For `|mode=cs2` `|ref=` defaults to `|ref=harv`. See [Template:Citation/doc § Anchors for Harvard referencing templates](#).

Identifiers[\[edit source\]](#)

- id**: A [unique identifier](#), used where none of the specialized identifiers are applicable; wikilink or use a template as applicable. For example, `|id=NCJ 122967` will append "NCJ 122967" at the end of the citation. You can use templates such as `|id={{NCJ|122967}}` to append [NCJ 122967](#) instead.

Aliases: **id**, **docket**

These identifiers create links and are designed to accept a single value. Using multiple values or other text will break the link and/or invalidate the identifier. In general, the parameters should include only the variable part of the identifier, e.g. `rfc=822` or `pmc=345678`.

When an URL is equivalent to the link produced by the corresponding identifier (such as a [DOI](#)), don't add it to any URL parameter but use the appropriate identifier parameter, which is more stable and may allow to specify the [access status](#). The `|url=` parameter or `title link` can then be used for its prime purpose of providing a [convenience link](#) to an [open access](#) copy which would not otherwise be obviously accessible.

- arxiv**: [arXiv identifier](#); for example: `arxiv=hep-th/9205027` (before April 2007) or `arxiv=0706.0001` (April 2007 - December 2014) or `arxiv=1501.00001` (since January 2015). Do not include extraneous file extensions like ".pdf" or ".html".

- **asin**: [Amazon Standard Identification Number](#); if first character of **asin** value is a digit, use **isbn**. Because this link favours one specific distributor, include it only if standard identifiers are not available. Example `asin=B00005N5PF`
 - **asin-tld**: ASIN top-level domain for Amazon sites other than the US; valid values: `au`, `br`, `ca`, `cn`, `co.jp`, `co.uk`, `de`, `es`, `fr`, `it`, `mx`
- **bibcode**: [bibcode](#); used by a number of astronomical data systems; for example: `1974AJ.....79..819H`. *Comment*: Techies are aware of the 2019 switch from old to new ADS URLs: the old URLs should continue working after October 2019 even though deprecated; see the [April/May 2019](#) and [June 2019](#) discussions.
- **biorxiv**: [bioRxiv](#) id, a 6-digit number at the end of the biorXiv URL (e.g. `078733` for <http://biorxiv.org/content/early/2016/10/01/078733> or <https://dx.doi.org/10.1101/078733>)
- **citeseerx**: [CiteSeerX](#) id, a string of digits and dots found in a CiteSeerX URL (e.g. `10.1.1.176.341` for <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.176.341>)
- **doi**: [Digital object identifier](#); for example: `10.1038/news070508-7`. It is checked to ensure it begins with (`<syntaxhighlight lang="text" class="" id="" style="" inline="1">10.</syntaxhighlight>`).
 - **doi-broken-date**: Date the DOI was found to be non-working at <https://dx.doi.org>. Use the same format as other dates in the article. Alias: **doi-inactive-date**
- **eissn**: [International Standard Serial Number](#) for the electronic media of a serial publication; eight characters may be split into two groups of four using a [hyphen](#), but not an [en dash](#) or a space; example `eissn=1557-2986` Alias: **EISSN**
- **hdl**: [Handle System](#) identifier for digital objects and other resources on the Internet; example `hdl=20.1000/100` Alias: **HDL**
- **isbn**: [International Standard Book Number](#); for example: `978-0-8126-9593-9`. (See [Wikipedia:ISBN](#) and [ISBN § Overview](#).) Hyphens in the ISBN are optional, but preferred. Use the ISBN actually printed on or in the book. Use the 13-digit ISBN - beginning with 978 or 979 - when it is available. If only a 10-digit ISBN is printed on or in the book, use it. ISBNs can be found on the page with the publisher's information - usually the back of the title page - or beneath the barcode as a number beginning with 978 or 979 (barcodes beginning with any other numbers are not ISBNs). For sources with the older 9-digit SBN system, prefix the number with a zero; thus, *SBN 902888-45-5* should be entered as `| isbn=0-902888-45-5`. Do not convert a 10-digit ISBN to 13-digit by just adding the 978 prefix; the last digit is a calculated check digit and just making changes to the numbers will make the ISBN invalid. This parameter should hold only the ISBN without *any* additional characters. It is checked for length, invalid characters - anything other than numbers, spaces, and hyphens, with "X" permitted as the last character in a 10-digit ISBN - and the proper check digit. Alias: **ISBN**
- **ismn**: [International Standard Music Number](#); for example: `979-0-9016791-7-7`. [Hyphens](#) or spaces in the ISMN are optional. Use the ISMN actually printed on or in the work. This parameter should hold only the ISMN without *any* additional characters. It is checked for length, invalid characters - anything other than numbers, spaces, and hyphens - and the proper check digit. Alias: **ISMN**
- **issn**: [International Standard Serial Number](#); eight characters may be split into two groups of four using a [hyphen](#), but not an [en dash](#) or a space; example `issn=2049-3630` Alias: **ISSN**
- **jfm**: [Jahrbuch über die Fortschritte der Mathematik](#); example `jfm=53.0144.01`
- **jstor**: [JSTOR](#) reference number; for example: `jstor=3793107` will generate [JSTOR 3793107](#).
- **lccn**: [Library of Congress Control Number](#). When present, alphabetic prefix characters are to be lower case; example `lccn=2004042477`
- **mr**: [Mathematical Reviews](#); example `mr=630583`
- **oclc**: [OCLC](#); WorldCat's Online Computer Library Center; example `oclc=9355469`
- **ol**: [Open Library](#) identifier; do not include "OL" in the value; example `ol=7030731M`
- **osti**: [Office of Scientific and Technical Information](#); example `osti=4367507`

- **pmc**: [PubMed Central](#); use article number for [open repository](#) full-text of a journal article, e.g. pmc=345678. Do not include "PMC" in the value. See also the **pmid** parameter, below; these are two different identifiers.
 - **embargo**: Date that **pmc** goes live; if this date is in the future, then **pmc** is not linked until that date.
- **pmid**: [PubMed](#); use unique identifier; example pmid=17322060 See also the **pmc** parameter, above; these are two different identifiers.
- **rfc**: [Request for Comments](#); example rfc=3143
- **ssrn**: [Social Science Research Network](#); example ssrn=1900856
- **zbl**: [Zentralblatt MATH](#); example zbl=0472.53010 For zbMATH search results like JFM 35.0387.02 use jfm=35.0387.02

Quote[[edit source](#)]

- **quote**: Relevant text quoted from the source. Displays enclosed in quotes. When supplied, the citation terminator (a period by default) is suppressed, so the quote must include terminating punctuation.

Editors[[edit source](#)]

- **editor-last**: surname of editor. Do not wikilink—use **editor-link** instead. Where the surname is usually written first—as in Chinese—or for corporate authors, simply use **editor-last** to include the same format as the source. Aliases: **editor-last1**, **editor1-last**, **editor-surname**, **editor-surname1**, **editor1-surname**, **editor**, **editor1**.
 - **editor**: This parameter is used to hold the complete name of a single editor (first and last), or the name of an editorial committee. This parameter should never hold the names of more than one editor.
 - **editor-first**: given or first names of editor, including title(s); example: *Firstname Middlename* or *Firstname M.* or *Dr. Firstname M., Sr.* Do not wikilink—use **editor-link** instead. Aliases: **editor-first1**, **editor1-first**, **editor-given**, **editor-given1**, **editor1-given**.
 - OR: for multiple editors, use **editor-last1**, **editor-first1** through **editor-lastn**, **editor-firstn** (Aliases: **editorn-last**, **editor-surnamen** or **editorn-surname**; **editorn-first**, **editor-givenn** or **editorn-given**; **editorn**). For an individual editor plus an institutional editor, you can use `|editor-first1=...|editor-last1=...|editor2=...`
 - **editor-link**: title of existing Wikipedia article about the editor—not the editor's website; do not wikilink. Aliases: **editor-link1**.
 - OR: for multiple editors, use **editor-link1** through **editor-linkn** (alias **editorn-link**).
 - **name-list-format**: displays authors and editors in [Vancouver style](#) when set to vanc and when the list uses last/first parameters for the name list(s)
- **veditors**: comma separated list of editor names in [Vancouver style](#); enclose corporate or institutional names in doubled parentheses:

```
|veditors=Smythe JB, ((Megabux Corp.))
```

- **editor-link n** and **editor-mask n** may be used for the individual names in `|veditors=`, as described above
- **editors**: free-form list of editor names; use of this parameter is discouraged; not an alias of **editor-last**

Display:

Use **display-editors** to control the length of the displayed editor name list and to specify when "et al." is included.

If authors: Authors are first, followed by the included work, then "In" and the editors, then the main work.

If no authors: Editors appear before the included work; a single editor is followed by "ed."; multiple editors are followed by "eds."

Laysummary[[edit source](#)]

- **lay-url**: URL link to a non-technical summary or review of the source; the URL title is set to "Lay summary". Aliases: **lay-summary** (deprecated), **laysummary** (deprecated).
 - **lay-source**: Name of the source of the laysummary. Displays in italics and preceded by an endash. Alias: **laysource**.
 - **lay-date**: Date of the summary. Displays in parentheses. Alias: **laydate**.

Display options[[edit source](#)]

- **mode**: Sets element separator, default terminal punctuation, and certain capitalization according to the value provided. For `|mode=cs1`, element separator and terminal punctuation is a period (.); where appropriate, initial letters of certain words are capitalized ('Retrieved...'). For `|mode=cs2`, element separator is a comma (,); terminal punctuation is omitted; where appropriate, initial letters of certain words are not capitalized ('retrieved...'). To override default terminal punctuation use **postscript**.
- **author-mask**: Replaces the name of the first author with [em dashes](#) or text. Set **author-mask** to a numeric value n to set the dash n em spaces wide; set **author-mask** to a text value to display the text without a trailing author separator; for example, "with". You must still include the values for all authors for metadata purposes. Primarily intended for use with bibliographies or bibliography styles where multiple works by a single author are listed sequentially such as [shortened footnotes](#). Do not use in a list generated by `{{reflist}}`, `<references />` or similar as there is no control of the order in which references are displayed. You can also use **editor-mask** and **translator-mask** in the same way. Mask parameters can take a number in the name of the parameter (e.g. `|author $_n$ -mask=`) to specify which author the mask should apply to.
- **display-authors**: Controls the number of author names that are displayed when a citation is published. To change the displayed number of authors, set **display-authors** to the desired number. For example, `|display-authors=2` will display only the first two authors in a citation. By default, all authors are displayed. `|display-authors=etal` displays all authors in the list followed by et al. Aliases: **displayauthors**.
- **display-editors**: Controls the number of editor names that are displayed when a citation is published. To change the displayed number of editors, set **display-editors** to the desired

number. For example, `|display-editors=2` will display only the first two editors in a citation. By default, all editors are displayed. `|display-editors=etal` displays all editors in the list followed by et al. Aliases: **displayeditors**.

- **last-author-amp**: Switches the separator between the last two names of the author list to space ampersand space (&) when set to *y*, *yes*, or *true*. Example: `|last-author-amp=yes`
- **postscript**: Controls the closing punctuation for a citation; defaults to a period (.); for no terminating punctuation, specify `|postscript=none` - leaving `|postscript=` empty is the same as omitting it, but is ambiguous. Additional text or templates beyond the terminating punctuation may generate an error message. `|postscript=` is ignored if **quote** is defined.

TemplateData[[edit source](#)]

This is the [TemplateData](#) for this template used by [TemplateWizard](#), [VisualEditor](#) and other tools. [Click here](#) to see a monthly parameter usage report for this template based on this TemplateData.

TemplateData for Cite thesis


A Citation Style 1 template used to create citations for theses or dissertations submitted to and approved by an educational institution recognized as capable of awarding higher degrees.

Template parameters

This template prefers inline formatting of parameters.

	Parameter	Description	Type	Status
Surname of author	<code>last last1 surname surname1 author author1</code>	Surname of author. Do not wikilink—use <code>author-link</code> instead. For corporate authors or authors for whom only one name is listed by the source, use <code>last</code> or one of its aliases	String	suggested
First name of author	<code>first first1 given given1</code>	Given or first names of author, including title(s). Requires <code>last</code> ; first name will not display if <code>last</code> is empty. Example Firstname Middlename or Firstname M. or Dr. Firstname M., Sr.	Unknown	suggested
Title of source	<code>title</code>	Title of source. Can be wikilinked to an existing Wikipedia article or url may be used to add an external link, but not both. Displays in italics. If <code>script-title</code> is defined, <code>title</code> holds romanized transliteration of title in <code>script-title</code> .	String	required
Date	<code>date</code>	Date of source being referenced. Can be full date (day, month, and year) or partial date (month and year, season and year, or year). Use same format as other publication dates in the citations.	Date	suggested

	Parameter	Description	Type	Status	
	Degree	degree	The degree qualification received for the given thesis or dissertation. Default Thesis Example PhD	String	suggested
	Publisher (likely university)	publisher	Name of awarding institution, e.g. university; may be wikilinked if relevant. Example Texas A & M University	String	suggested
	URL	url	URL of an online location where the text of the publication can be found. Cannot be used if title is wikilinked.	URL	suggested
	URL access level	url-access	Classification of the access restrictions on the URL ('registration', 'subscription' or 'limited')	String	optional
	Location of publication	place	Geographical place of publication; usually not wikilinked; omit when the publication name includes place	String	optional
	ISBN	isbn	International Standard Book Number; use the 13-digit ISBN where possible	Line	optional
	DOI	doi	Digital Object Identifier; begins with '10.'	String	suggested
	DOI broken date	doi-broken-date	The date that the DOI was determined to be broken	Date	optional
	DOI access level	doi-access	If the full text is free to read via the DOI, type 'free'.	String	optional
	Language	language	The language in which the source is written, if not English; use the full language name; do not use icons or templates	Content	optional
	Format	format	Format of the work referred to by url; for example: PDF, DOC, or XLS; displayed in parentheses after title. HTML is implied and should not be specified. Automatically added when a PDF icon is displayed.	String	optional
	OCLC code	oclc	The OCLC code of the thesis Example 23527868	String	optional



This template produces [COinS](#) metadata; see [COinS in Wikipedia](#) for background information.

Project Management Committee

Retrieved from

"https://www.bluegoldwiki.com/index.php?title=Template:Cite_thesis/doc&oldid=1938"

Namespaces

- [Template](#)
- [Discussion](#)

Variants

[Categories:](#)

- [Pages with broken file links](#)
- [Template documentation pages](#)
- [Pages which use infobox templates with ignored data cells](#)
- [Templates generating COinS](#)

This page was last edited on 19 February 2020, at 09:52.

Blue Gold Program Wiki

The wiki version of the Lessons Learnt Report of the Blue Gold program, documents the experiences of a technical assistance (TA) team working in a development project implemented by the Bangladesh Water Development Board (BWDB) and the Department of Agricultural Extension (DAE) over an eight+ year period from March 2013 to December 2021. The wiki lessons learnt report (LLR) is intended to complement the BWDB and DAE project completion reports (PCRs), with the aim of recording lessons learnt for use in the design and implementation of future interventions in the coastal zone.

- [Privacy policy](#)
- [About Blue Gold Program Wiki](#)
- [Disclaimers](#)

Developed and maintained by Big Blue Communications for Blue Gold Program



[Blue Gold Program Wiki](#)